# SECUMAX 320 CUTS EVEN BETTER THAN IT LOOKS.








THE SAFER WAY TO CUT.





Safety first The concealed blade and rounded nose reliably protects you and your products. Furthermore, the knife head has been significantly strengthened making it more robust and longer lasting.



Blade change made easy Another benefit for handling and safety is the newly designed blade change. Simply lift up at the blade change button and remove the cover. You can then directly access the 4-cutting edge blade.



Perfect ergonomics Can you feel the difference? The new handle shape with the finger friendly contours fits like a glove. The preset cutting angle is also kind to the hand and arm helping you to position the knife for cutting.





Optimised blade area Just two examples: The cutting channel is formed so that your safety knife moves away the freshly cut material even faster. Diagonal cuts are also easier than ever to perform. Your benefits: Less effort required for the task.



Two splitting depths When splitting tape, you now have a choice of depth between 5 mm and 3.5 mm – for even more goods protection. Just open the handle, turn around the splitter, finished. Working with the splitter is just as uncomplicated. Pierce the tape and away you go.

#### Application





### Safety technology

Concealed blade – a maximum degree of safety The SECUMAX 320 blade is not an open one, but is hidden from people and goods. This provides you with a maximum degree of safety from cut injuries and from damage to goods.

## COMBI reloaded. The new generation.

The SECUMAX COMBI was always in a class of its own as a film cutting expert - until it found its legitimate successor. The new SECUMAX 320 makes an instant impression with its outstanding design. And if you look more closely, you will appreciate its inner values. For example, in comparison to its predecessor, the perfected ergonomics and the completely overhauled blade change. What about the subject of "the highest level of work safety"? It has always been in the COMBI's DNA – and so it will remain that way.

## PRODUCT FEATURES

### Technical features Safer blade change Maximum safety (with magnet) Abrasion resistant Very ergonomic 4-cutting edge Cutting depth blade Ceramic blade Tape splitter insertable For right and left Soft grip (1) 此人间 handers Lanyard hole Printable for LOGO promotional purposes Main cutting materials Wrapping, stretch, Layers of foil or and shrink foil paper Plastic strapping Cardboard: 1-ply band Таре Bagged goods Installed blade



NO. 92043 0.40 mm, deep-edged

#### **Optional blade**



NO. 92C 0.50 mm, ceramic NO. 192043 0.40 mm, deep-edged, stainless

#### Certificates and awards



# THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

## SECUMAX 320

- › Concealed blade
- > Specialist for foils and plastic straps
- > Ergonomic handle with a soft-grip
- Integrated tape splitter
- > GS-certified for approved safety

## **PRODUCT DETAILS**

Order No.	NO. 320	NO. 32000110.02	
Packaging unit		1 in single unit box (10 in multipack)	
Knife size (L x W x H)	158 x 1	158 x 13 x 56 mm	
Main material	Glass fit	Glass fibre reinforced plastic	
Weight	47,4 g		
Cutting depth	4 mm		
Spare blade Packaging unit Size (L x W x Thickness)	N0. 92043.66 (10 in safety dispenser) 26 x 18.5 x 0.40 mm		
Certified		GS certificate NO. 603646- 6680-55094-2018/1	
Accessories			
BELT HOLSTER M WITH CLIP		NO. 9921	
USED BLADE CONTAINER	Ō	NO. 9810	
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845	
SAFEBOX	C	NO. 108000	

# CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.

From the first cut to changing the blade, our video will show you the best way to use this knife.



 $\triangleright$ 

Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet.



Still have questions? You can reach our service department on +49 212 73870-0