

SIR FUTURE



POWERED by
RESPONDER[®]
TECHNOLOGY

SHOES FOR THE FUTURE

CUSHIONING, RESPONSIVENESS
AND SUPPORT AT EACH STEP YOU TAKE.

This footwear series is the result of research and innovation, values that have always animated our company and that have allowed us to reinterpret the concept of responsive cushioning, developing a product destined to revolutionize the world of safety footwear.



RESPONDER® TECHNOLOGY

The patented Responder® technology used in the midsole and footbed of the series, represents a real breakthrough in high-performance sole compounds. Thousands of ETPU (expanded thermoplastic polyurethane) beads with high elasticity and resilience properties, are bound together by a stable, high-resistance compound. This combination creates an outstanding responsive cushioning, extreme lightweightness and flexibility over the entire surface of the foot, thus assuring excellent performance even after prolonged and intense use.

CUSHIONING AND RESPONSIVENESS

Responder® technology has allowed us to create a controlled ultra-low density compound that absorbs shock in the stance phase with a value 90% higher than the limit required by EN ISO 20345, stores energy and releases it back to the foot at the swing phase. This new concept of cushioning helps to save energy much longer than traditional soles, providing the wearer with the best energy return on the market, together with an unprecedented control, stability and ability to adapt.

POWERED by
RESPONDER[®]
TECHNOLOGY



TOTAL COMFORT AND FLEXIBILITY

Responder[®] midsole spans the entire sole of the foot providing flexibility and full responsive cushioning. The rubber outsole, with deep longitudinal grooves, accentuates the flexibility of the sole and ensures excellent grip on all types of surfaces. The heel stabilizer prevents foot fatigue and improves foot stability. The combination of all these components allows for a smooth roll-over for an exceptional stride progression.

The “Faster” closure system, fitted on some models in the series, allows to adjust the fit perfectly, making the lacing more even and keeping the tension constant over time.

A wide range of uppers made with ultra-modern technologies and high-quality materials complete the ultra-dynamic design of this new footwear series.



ULTRA-MODERN TECHNOLOGIES AND HIGH-QUALITY MATERIALS
FOR THE SHOES OF THE FUTURE.



TPU HEEL STABILIZER

LIGHTWEIGHT 200 J ALUMINIUM TOECAP

RESPONDER® TECHNOLOGY INSOLE

NON-METALLIC PUNCTURE-RESISTANT
PLATE

RESPONDER® TECHNOLOGY
MIDSOLE

SLIP-RESISTANT RUBBER
OUTSOLE

POWERED by
RESPONDER
TECHNOLOGY



+90%
shock absorption



FULL
responsive cushioning



MB3011 JET

Sole: E-TPU Responder®/Rubber

Upper: Air-Mesh/Microfibre

Toecap: Aluminium

Puncture-Resistant Plate: Composite

Color: Light Grey

Sizes: 35-48

**EN ISO 20345:2011
S1P SRC**

**EN ISO 20345:2022
S1PS FO SR***

* Under certification process



MB3012 MAIA

Sole: E-TPU Responder®/Rubber

Upper: Knitted Mesh

Toecap: Aluminium

Puncture-Resistant Plate: Composite

Color: Dark Grey

Sizes: 35-48

**EN ISO 20345:2011
S1P SRC**

**EN ISO 20345:2022
S1PS FO SR***

* Under certification process



Outstanding energy return



MB3013 TONGA

Sole: E-TPU Responder®/Rubber
Upper: Microfibre
Toecap: Aluminium
Puncture-Resistant Plate: Composite
Color: Grey
Sizes: 35-48

EN ISO 20345:2011
S3 SRC

EN ISO 20345:2022
S3S FO SR*

* Under certification process



MB3014 TURKANA

Sole: E-TPU Responder®/Rubber
Upper: Action Nubuck leather
Toecap: Aluminium
Puncture-Resistant Plate: Composite
Color: Camo Grey
Sizes: 35-48

EN ISO 20345:2011
S3 SRC

EN ISO 20345:2022
S3S FO SR*

* Under certification process



MB3017 MONZA

Sole: E-TPU Responder®/Rubber
Upper: Suede leather/Oxford fabric
Toecap: Aluminium
Puncture-Resistant Plate: Composite
Color: Grey
Sizes: 35-48

EN ISO 20345:2011
S1P SRC

EN ISO 20345:2022
S1PS FO SR*

* Under certification process

CEI EN 61340



MB3015 MANHATTAN

Sole: E-TPU Responder®/Rubber
Upper: Nubuck Leather
Toecap: Aluminium
Puncture-Resistant Plate: Composite
Color: Black/Grey
Sizes: 35-48

EN ISO 20345:2011
S3 WR SRC

EN ISO 20345:2022
S7S FO SR*

* Under certification process



MB3016 SNAKE

Sole: E-TPU Responder®/Rubber
Upper: Action Nubuck leather
Toecap: Aluminium
Puncture-Resistant Plate: Composite
Color: Black
Sizes: 35-48

EN ISO 20345:2011
S3 SRC

EN ISO 20345:2022
S3S FO SR*

* Under certification process

CEI EN 61340



MB3020 MOHER

Sole: E-TPU Responder®/Rubber
Upper: Suede leather/Nylon mesh
Toecap: Aluminium
Puncture-Resistant Plate: Composite
Color: Grey
Sizes: 35-48

EN ISO 20345:2022
S1PS FO SR*

* Under certification process

CEI EN 61340

AUTHORIZED DEALER



SAFETY SYSTEM

YOUR PROTECTOR

HEADQUARTERS

VIA DEI FORNACIAI, 9
06081 ASSISI - PERUGIA - ITALY
T. +39 075 804.37.37
F. +39 075 804.37.47

BRANCH

VIALE EUROPA, 74
20090 CUSAGO - MILANO - ITALY
T. +39 02 903.94.575
F. +39 02 903.94.441

export@sirsafety.com
www.sirsafety.com

