








# Danger

Symbol	Description	Page
	W001 : Warning; General sign	71
	W002 : Warning; Explosive material	72
	W003 : Warning; Radioactive material or ionizing radiation	73
	W004 : Warning; laser beam	74
	W005 : Warning; Non-ionizing radiation	75
	W006 : Warning; Magnetic field	76
	W007 : Warning; Floor level obstacle	77
	W008 : Warning; Drop (fall)	78
	W009 : Warning; Biological hazard	79
	W010 : Warning; Low temperature/ freezing conditions	80
	W011 : Warning; Slippery surface	81
	W012 : Warning; Electricity	82
	W013 : Warning; Guard dog	84
	W014 : Warning; Fork lift trucks and other industrial vehicles	85
	W015 : Warning; Overhead load	86
	W016 : Warning; Toxic material	87
	W017 : Warning; Hot surface	88
	W018 : Warning; Automatic start-up	89
	W019 : Warning; Crushing	90
	W020 : Warning; Overhead obstacles	91
	W021 : Warning; Risk of fire/ Flammable materials	92

Symbol	Description	Page
	W022 : Warning; Sharp elements	93
	W023 : Warning; Corrosive substance	94
	W024 : Warning; Crushing of hands	95
	W025 : Warning; Counter rotating rollers	96
	W026 : Warning; Battery charging	97
	W027 : Warning; Optical radiation	98
	W028 : Warning; Oxidizing substance	99
	W029 : Warning; Pressurised cylinder	100
	W030 : Warning; Hand crushing between press brake tool	101
	W031 : Warning; Hand crushing between press brake tool	101
	W032 : Warning; Rapid movement of workpiece in press brake	102
	W033 : Warning; Barbed wire	102
	W034 : Warning; Bull	103
	W035 : Warning; Falling objects	103
	W036 : Warning; Fragile roof	104
	W037 : Warning; Run over by remote operator controlled machine	104
	W038 : Warning; Sudden loud noise	105
	W039 : Warning; Falling ice	105
	W040 : Warning; Roof avalance	106
	W041 : Warning; Asphyxiating atmosphere	106
	W042 : Warning; Arc flash	107

Symbol	Description	Page
	PIC 2516 (PIC 313) : Warning; Explosive atmosphere	108
	PIC 321 : Warning; Toxic Irritant Health hazard	108
	PIC 327 : Warning; Electrostatic	109
	PIC 329 : Warning; Earth	109

Complies with EN ISO 7010

## W001 : WARNING; GENERAL SIGN

The W001 danger symbol is the most basic and general. For this reason, it is essential to position it with a legend clarifying the danger. It is advisable to indicate a danger, the action to avoid and the appropriate means of protection around a machine.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
826613	50	43	7 / Pack
826615	100	87	3 / Pack
826616	200	173	1 / Pack
826617	315	273	1 / Pack
<b>Polypropylene</b>			
826619	100	87	1 / Pack
826620	200	173	1 / Pack
826621	315	273	1 / Pack
<b>Aluminium</b>			
826622	100	87	1 / Pack
826623	200	173	1 / Pack
826624	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
826618	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139003	10	9	54 / Pack
139004	20	17	15 / Pack
826611	25	22	13 / Pack
<b>Vinyl</b>			
826609	15	13	54 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836767	150	130	Class B	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836766	150	130	Class B	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
826610	25	22	250 / Roll
826612	50	43	250 / Roll
826614	100	87	250 / Roll



The W001 danger symbol must be positioned with a legend clarifying the danger.

**BRADY**  
Customise-it

See page 196 to order your custom-made signs.



## W002 : WARNING; EXPLOSIVE MATERIAL

Explosive materials must be clearly marked to ensure the necessary steps are taken with regards to the environment, storage and code of conduct.



It is recommended to use CLP sign GHS01 on the packaging of the explosive material (see page 221).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
816664	50	43	7 / Pack
816666	100	87	3 / Pack
816667	200	173	1 / Pack
816668	315	273	1 / Pack
<b>Polypropylene</b>			
816670	100	87	1 / Pack
816671	200	173	1 / Pack
816672	315	273	1 / Pack
<b>Aluminium</b>			
816673	100	87	1 / Pack
816674	200	173	1 / Pack
816675	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
816669	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
138995	10	9	54 / Pack
816662	25	22	13 / Pack
<b>Vinyl</b>			
816660	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
816723	150	50	Landscape	Warning; explosive material	1 / Pack
816724	297	74	Landscape	Warning; explosive material	1 / Pack
816726	450	150	Landscape	Warning; explosive material	1 / Pack
816727	600	200	Landscape	Warning; explosive material	1 / Pack
816720	148	210	Portrait	Warning; explosive material	1 / Pack
816721	210	297	Portrait	Warning; explosive material	1 / Pack
816725	297	105	Portrait	Warning; explosive material	1 / Pack
816722	297	420	Portrait	Warning; explosive material	1 / Pack
<b>Polypropylene</b>					
816731	150	50	Landscape	Warning; explosive material	1 / Pack
816732	297	74	Landscape	Warning; explosive material	1 / Pack
816734	450	150	Landscape	Warning; explosive material	1 / Pack
816735	600	200	Landscape	Warning; explosive material	1 / Pack
816728	148	210	Portrait	Warning; explosive material	1 / Pack
816729	210	297	Portrait	Warning; explosive material	1 / Pack
816733	297	105	Portrait	Warning; explosive material	1 / Pack
816730	297	420	Portrait	Warning; explosive material	1 / Pack
<b>Aluminium</b>					
816739	150	50	Landscape	Warning; explosive material	1 / Pack
816741	450	150	Landscape	Warning; explosive material	1 / Pack
816736	148	210	Portrait	Warning; explosive material	1 / Pack
816737	210	297	Portrait	Warning; explosive material	1 / Pack
816740	297	105	Portrait	Warning; explosive material	1 / Pack
816738	297	420	Portrait	Warning; explosive material	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
816661	25	22	250 / Roll
816663	50	43	250 / Roll
816665	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836133	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836134	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836131	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836132	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836130	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W003 : WARNING; RADIOACTIVE MATERIAL OR IONIZING RADIATION

The identification of such areas allows the restrictions for some personnel and appropriate protection to be communicated at the same time.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
826761	50	43	7 / Pack
826763	100	87	3 / Pack
826764	200	173	1 / Pack
826765	315	273	1 / Pack
<b>Polypropylene</b>			
826767	100	87	1 / Pack
826768	200	173	1 / Pack
826769	315	273	1 / Pack
<b>Aluminium</b>			
826770	100	87	1 / Pack
826771	200	173	1 / Pack
826772	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
826766	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
138998	10	9	54 / Pack
826759	25	22	13 / Pack
<b>Vinyl</b>			
826757	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
826758	25	22	250 / Roll
826760	50	43	250 / Roll
826762	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836769	150	130	Class B	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836768	150	130	Class B	1 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
826820	150	50	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826821	297	74	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826823	450	150	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826824	600	200	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826817	148	210	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826818	210	297	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826822	297	105	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826819	297	420	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
<b>Polypropylene</b>					
826828	150	50	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826829	297	74	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826831	450	150	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826832	600	200	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826825	148	210	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826826	210	297	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826830	297	105	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826827	297	420	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
<b>Aluminium</b>					
826836	150	50	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826838	450	150	Landscape	Warning; Radioactive material or ionizing radiation	1 / Pack
826833	148	210	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826834	210	297	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826837	297	105	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack
826835	297	420	Portrait	Warning; Radioactive material or ionizing radiation	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

## W004 : WARNING; LASER BEAM

A laser beam can be dangerous if the necessary protective measures are not taken. Pointing out the danger helps to warn of certain consequences of exposure to it.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
826909	50	43	7 / Pack
826911	100	87	3 / Pack
826912	200	173	1 / Pack
826913	315	273	1 / Pack
<b>Polypropylene</b>			
826915	100	87	1 / Pack
826916	200	173	1 / Pack
826917	315	273	1 / Pack
<b>Aluminium</b>			
826918	100	87	1 / Pack
826919	200	173	1 / Pack
826920	315	273	1 / Pack


### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
826914	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139005	10	9	54 / Pack
139026	20	17	15 / Pack
826907	25	22	13 / Pack
<b>Vinyl</b>			
826905	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
826968	150	50	Landscape	Warning; laser beam	1 / Pack
826969	297	74	Landscape	Warning; laser beam	1 / Pack
826971	450	150	Landscape	Warning; laser beam	1 / Pack
826972	600	200	Landscape	Warning; laser beam	1 / Pack
826965	148	210	Portrait	Warning; laser beam	1 / Pack
826966	210	297	Portrait	Warning; laser beam	1 / Pack
826970	297	105	Portrait	Warning; laser beam	1 / Pack
826967	297	420	Portrait	Warning; laser beam	1 / Pack
<b>Polypropylene</b>					
826976	150	50	Landscape	Warning; laser beam	1 / Pack
826977	297	74	Landscape	Warning; laser beam	1 / Pack
826979	450	150	Landscape	Warning; laser beam	1 / Pack
826980	600	200	Landscape	Warning; laser beam	1 / Pack
826973	148	210	Portrait	Warning; laser beam	1 / Pack
826974	210	297	Portrait	Warning; laser beam	1 / Pack
826978	297	105	Portrait	Warning; laser beam	1 / Pack
826975	297	420	Portrait	Warning; laser beam	1 / Pack
<b>Aluminium</b>					
826984	150	50	Landscape	Warning; laser beam	1 / Pack
826986	450	150	Landscape	Warning; laser beam	1 / Pack
826981	148	210	Portrait	Warning; laser beam	1 / Pack
826982	210	297	Portrait	Warning; laser beam	1 / Pack
826985	297	105	Portrait	Warning; laser beam	1 / Pack
826983	297	420	Portrait	Warning; laser beam	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
826906	25	22	250 / Roll
826908	50	43	250 / Roll
826910	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836138	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836139	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836136	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836137	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836135	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W005 : WARNING; NON-IONIZING RADIATION

Non-ionising radiation has a limited and barely visible effect. One of the main principles of this radiation is a heating-up of the body. This radiation includes infra-red, microwaves and radio waves.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827057	50	43	7 / Pack
827059	100	87	3 / Pack
827060	200	173	1 / Pack
827061	315	273	1 / Pack
<b>Polypropylene</b>			
827063	100	87	1 / Pack
827064	200	173	1 / Pack
827065	315	273	1 / Pack
<b>Aluminium</b>			
827066	100	87	1 / Pack
827067	200	173	1 / Pack
827068	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
827062	500	433	1 / Pack

### MINI-PICTOGRAMS


Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139024	10	9	54 / Pack
827055	25	22	13 / Pack
<b>Vinyl</b>			
827053	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827054	25	22	250 / Roll
827056	50	43	250 / Roll
827058	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
827116	150	50	Landscape	Warning; Non-ionizing radiation	1 / Pack
827117	297	74	Landscape	Warning; Non-ionizing radiation	1 / Pack
827119	450	150	Landscape	Warning; Non-ionizing radiation	1 / Pack
827120	600	200	Landscape	Warning; Non-ionizing radiation	1 / Pack
827113	148	210	Portrait	Warning; Non-ionizing radiation	1 / Pack
827114	210	297	Portrait	Warning; Non-ionizing radiation	1 / Pack
827118	297	105	Portrait	Warning; Non-ionizing radiation	1 / Pack
827115	297	420	Portrait	Warning; Non-ionizing radiation	1 / Pack
<b>Polypropylene</b>					
827124	150	50	Landscape	Warning; Non-ionizing radiation	1 / Pack
827125	297	74	Landscape	Warning; Non-ionizing radiation	1 / Pack
827127	450	150	Landscape	Warning; Non-ionizing radiation	1 / Pack
827128	600	200	Landscape	Warning; Non-ionizing radiation	1 / Pack
827121	148	210	Portrait	Warning; Non-ionizing radiation	1 / Pack
827122	210	297	Portrait	Warning; Non-ionizing radiation	1 / Pack
827126	297	105	Portrait	Warning; Non-ionizing radiation	1 / Pack
827123	297	420	Portrait	Warning; Non-ionizing radiation	1 / Pack
<b>Aluminium</b>					
827132	150	50	Landscape	Warning; Non-ionizing radiation	1 / Pack
827134	450	150	Landscape	Warning; Non-ionizing radiation	1 / Pack
827129	148	210	Portrait	Warning; Non-ionizing radiation	1 / Pack
827130	210	297	Portrait	Warning; Non-ionizing radiation	1 / Pack
827133	297	105	Portrait	Warning; Non-ionizing radiation	1 / Pack
827131	297	420	Portrait	Warning; Non-ionizing radiation	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836143	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836144	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836141	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836142	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836140	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

## W006 : WARNING; MAGNETIC FIELD

Warns that equipment has a strong magnetic field present and can lead to accidents or injury.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827205	50	43	7 / Pack
827207	100	87	3 / Pack
827208	200	173	1 / Pack
827209	315	273	1 / Pack
<b>Polypropylene</b>			
827211	100	87	1 / Pack
827212	200	173	1 / Pack
827213	315	273	1 / Pack
<b>Aluminium</b>			
827214	100	87	1 / Pack
827215	200	173	1 / Pack
827216	315	273	1 / Pack


### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
827210	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139025	10	9	54 / Pack
827203	25	22	13 / Pack
<b>Vinyl</b>			
827201	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
827264	150	50	Landscape	Warning; Magnetic field	1 / Pack
827265	297	74	Landscape	Warning; Magnetic field	1 / Pack
827267	450	150	Landscape	Warning; Magnetic field	1 / Pack
827268	600	200	Landscape	Warning; Magnetic field	1 / Pack
827261	148	210	Portrait	Warning; Magnetic field	1 / Pack
827262	210	297	Portrait	Warning; Magnetic field	1 / Pack
827266	297	105	Portrait	Warning; Magnetic field	1 / Pack
827263	297	420	Portrait	Warning; Magnetic field	1 / Pack
<b>Polypropylene</b>					
827272	150	50	Landscape	Warning; Magnetic field	1 / Pack
827273	297	74	Landscape	Warning; Magnetic field	1 / Pack
827275	450	150	Landscape	Warning; Magnetic field	1 / Pack
827276	600	200	Landscape	Warning; Magnetic field	1 / Pack
827269	148	210	Portrait	Warning; Magnetic field	1 / Pack
827270	210	297	Portrait	Warning; Magnetic field	1 / Pack
827274	297	105	Portrait	Warning; Magnetic field	1 / Pack
827271	297	420	Portrait	Warning; Magnetic field	1 / Pack
<b>Aluminium</b>					
827280	150	50	Landscape	Warning; Magnetic field	1 / Pack
827282	450	150	Landscape	Warning; Magnetic field	1 / Pack
827277	148	210	Portrait	Warning; Magnetic field	1 / Pack
827278	210	297	Portrait	Warning; Magnetic field	1 / Pack
827281	297	105	Portrait	Warning; Magnetic field	1 / Pack
827279	297	420	Portrait	Warning; Magnetic field	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827202	25	22	250 / Roll
827204	50	43	250 / Roll
827206	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836148	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836149	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836146	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836147	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836145	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W007 : WARNING; FLOOR LEVEL OBSTACLE

Falling is one of the main causes of workplace accidents. Pointing out the risk areas, and more specifically the type of likely falls, enables you to reduce the number of these accidents.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827353	50	43	7 / Pack
827355	100	87	3 / Pack
827356	200	173	1 / Pack
827357	315	273	1 / Pack
<b>Polypropylene</b>			
827359	100	87	1 / Pack
827360	200	173	1 / Pack
827361	315	273	1 / Pack
<b>Aluminium</b>			
827362	100	87	1 / Pack
827363	200	173	1 / Pack
827364	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
827358	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139008	10	9	54 / Pack
827351	25	22	13 / Pack
<b>Vinyl</b>			
827349	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827350	25	22	250 / Roll
827352	50	43	250 / Roll
827354	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
827412	150	50	Landscape	Warning; Floor level obstacle	1 / Pack
827413	297	74	Landscape	Warning; Floor level obstacle	1 / Pack
827415	450	150	Landscape	Warning; Floor level obstacle	1 / Pack
827416	600	200	Landscape	Warning; Floor level obstacle	1 / Pack
827409	148	210	Portrait	Warning; Floor level obstacle	1 / Pack
827410	210	297	Portrait	Warning; Floor level obstacle	1 / Pack
827414	297	105	Portrait	Warning; Floor level obstacle	1 / Pack
827411	297	420	Portrait	Warning; Floor level obstacle	1 / Pack
<b>Polypropylene</b>					
827420	150	50	Landscape	Warning; Floor level obstacle	1 / Pack
827421	297	74	Landscape	Warning; Floor level obstacle	1 / Pack
827423	450	150	Landscape	Warning; Floor level obstacle	1 / Pack
827424	600	200	Landscape	Warning; Floor level obstacle	1 / Pack
827417	148	210	Portrait	Warning; Floor level obstacle	1 / Pack
827418	210	297	Portrait	Warning; Floor level obstacle	1 / Pack
827422	297	105	Portrait	Warning; Floor level obstacle	1 / Pack
827419	297	420	Portrait	Warning; Floor level obstacle	1 / Pack
<b>Aluminium</b>					
827428	150	50	Landscape	Warning; Floor level obstacle	1 / Pack
827430	450	150	Landscape	Warning; Floor level obstacle	1 / Pack
827425	148	210	Portrait	Warning; Floor level obstacle	1 / Pack
827426	210	297	Portrait	Warning; Floor level obstacle	1 / Pack
827429	297	105	Portrait	Warning; Floor level obstacle	1 / Pack
827427	297	420	Portrait	Warning; Floor level obstacle	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836153	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836154	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836151	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836152	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836150	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.





## W008 : WARNING; DROP (FALL)

Falling is one of the main causes of workplace accidents. Pointing out the risk areas, and more specifically the type of likely falls, enables you to reduce the number of these accidents.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827501	50	43	7 / Pack
827503	100	87	3 / Pack
827504	200	173	1 / Pack
827505	315	273	1 / Pack
<b>Polypropylene</b>			
827507	100	87	1 / Pack
827508	200	173	1 / Pack
827509	315	273	1 / Pack
<b>Aluminium</b>			
827510	100	87	1 / Pack
827511	200	173	1 / Pack
827512	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
827506	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139007	10	9	54 / Pack
827499	25	22	13 / Pack
<b>Vinyl</b>			
827497	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
827560	150	50	Landscape	Warning; Drop (fall)	1 / Pack
827561	297	74	Landscape	Warning; Drop (fall)	1 / Pack
827563	450	150	Landscape	Warning; Drop (fall)	1 / Pack
827564	600	200	Landscape	Warning; Drop (fall)	1 / Pack
827557	148	210	Portrait	Warning; Drop (fall)	1 / Pack
827558	210	297	Portrait	Warning; Drop (fall)	1 / Pack
827562	297	105	Portrait	Warning; Drop (fall)	1 / Pack
827559	297	420	Portrait	Warning; Drop (fall)	1 / Pack
<b>Polypropylene</b>					
827568	150	50	Landscape	Warning; Drop (fall)	1 / Pack
827569	297	74	Landscape	Warning; Drop (fall)	1 / Pack
827571	450	150	Landscape	Warning; Drop (fall)	1 / Pack
827572	600	200	Landscape	Warning; Drop (fall)	1 / Pack
827565	148	210	Portrait	Warning; Drop (fall)	1 / Pack
827566	210	297	Portrait	Warning; Drop (fall)	1 / Pack
827570	297	105	Portrait	Warning; Drop (fall)	1 / Pack
827567	297	420	Portrait	Warning; Drop (fall)	1 / Pack
<b>Aluminium</b>					
827576	150	50	Landscape	Warning; Drop (fall)	1 / Pack
827578	450	150	Landscape	Warning; Drop (fall)	1 / Pack
827573	148	210	Portrait	Warning; Drop (fall)	1 / Pack
827574	210	297	Portrait	Warning; Drop (fall)	1 / Pack
827577	297	105	Portrait	Warning; Drop (fall)	1 / Pack
827575	297	420	Portrait	Warning; Drop (fall)	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827498	25	22	250 / Roll
827500	50	43	250 / Roll
827502	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836158	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836159	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836156	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836157	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836155	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W009 : WARNING; BIOLOGICAL HAZARD

Warn of potential biological hazards around the workplace that could be harmful to employees and visitors.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827649	50	43	7 / Pack
827651	100	87	3 / Pack
827652	200	173	1 / Pack
827653	315	273	1 / Pack
<b>Polypropylene</b>			
827655	100	87	1 / Pack
827656	200	173	1 / Pack
827657	315	273	1 / Pack
<b>Aluminium</b>			
827658	100	87	1 / Pack
827659	200	173	1 / Pack
827660	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
827654	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139020	10	9	54 / Pack
139021	20	17	15 / Pack
827647	25	22	13 / Pack
<b>Vinyl</b>			
827645	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
827708	150	50	Landscape	Warning; Biological hazard	1 / Pack
827709	297	74	Landscape	Warning; Biological hazard	1 / Pack
827711	450	150	Landscape	Warning; Biological hazard	1 / Pack
827712	600	200	Landscape	Warning; Biological hazard	1 / Pack
827705	148	210	Portrait	Warning; Biological hazard	1 / Pack
827706	210	297	Portrait	Warning; Biological hazard	1 / Pack
827710	297	105	Portrait	Warning; Biological hazard	1 / Pack
827707	297	420	Portrait	Warning; Biological hazard	1 / Pack
<b>Polypropylene</b>					
827716	150	50	Landscape	Warning; Biological hazard	1 / Pack
827717	297	74	Landscape	Warning; Biological hazard	1 / Pack
827719	450	150	Landscape	Warning; Biological hazard	1 / Pack
827720	600	200	Landscape	Warning; Biological hazard	1 / Pack
827713	148	210	Portrait	Warning; Biological hazard	1 / Pack
827714	210	297	Portrait	Warning; Biological hazard	1 / Pack
827718	297	105	Portrait	Warning; Biological hazard	1 / Pack
827715	297	420	Portrait	Warning; Biological hazard	1 / Pack
<b>Aluminium</b>					
827724	150	50	Landscape	Warning; Biological hazard	1 / Pack
827726	450	150	Landscape	Warning; Biological hazard	1 / Pack
827721	148	210	Portrait	Warning; Biological hazard	1 / Pack
827722	210	297	Portrait	Warning; Biological hazard	1 / Pack
827725	297	105	Portrait	Warning; Biological hazard	1 / Pack
827723	297	420	Portrait	Warning; Biological hazard	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827646	25	22	250 / Roll
827648	50	43	250 / Roll
827650	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836163	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836164	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836161	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836162	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836160	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.



## W010 : WARNING; LOW TEMPERATURE/FREEZING CONDITIONS

Use this sign in extremely cold environments, like industrial walk-in freezers. Wearing gloves often is mandatory in these environments. See page 163 for the appropriate sign.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827797	50	43	7 / Pack
827799	100	87	3 / Pack
827800	200	173	1 / Pack
827801	315	273	1 / Pack
<b>Polypropylene</b>			
827803	100	87	1 / Pack
827804	200	173	1 / Pack
827805	315	273	1 / Pack
<b>Aluminium</b>			
827806	100	87	1 / Pack
827807	200	173	1 / Pack
827808	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
827802	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139011	10	9	54 / Pack
827795	25	22	13 / Pack
<b>Vinyl</b>			
827793	15	13	54 / Pack




### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827794	25	22	250 / Roll
827796	50	43	250 / Roll
827798	100	87	250 / Roll


**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

**i** Reversible and irreversible temperature indicating labels provide a record of the temperature of individual components. For more information see page 231.



### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
827856	150	50	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827857	297	74	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827859	450	150	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827860	600	200	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827853	148	210	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827854	210	297	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827858	297	105	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827855	297	420	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
<b>Polypropylene</b>					
827864	150	50	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827865	297	74	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827867	450	150	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827868	600	200	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827861	148	210	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827862	210	297	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827866	297	105	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827863	297	420	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
<b>Aluminium</b>					
827872	150	50	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827874	450	150	Landscape	Warning; Low temperature/ freezing conditions	1 / Pack
827869	148	210	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827870	210	297	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827873	297	105	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack
827871	297	420	Portrait	Warning; Low temperature/ freezing conditions	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836168	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836169	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836166	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836167	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836165	150	130	Class C	1 / Pack

Complies with EN ISO 7010

## W011 : WARNING; SLIPPERY SURFACE

Slipping is one of the main causes of workplace accidents. Pointing out the risk areas, and more specifically the type of likely falls, enables you to reduce the number of these accidents.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827945	50	43	7 / Pack
827947	100	87	3 / Pack
827948	200	173	1 / Pack
827949	315	273	1 / Pack
<b>Polypropylene</b>			
827951	100	87	1 / Pack
827952	200	173	1 / Pack
827953	315	273	1 / Pack
<b>Aluminium</b>			
827954	100	87	1 / Pack
827955	200	173	1 / Pack
827956	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
827950	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139009	10	9	54 / Pack
827943	25	22	13 / Pack
<b>Vinyl</b>			
827941	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
827942	25	22	250 / Roll
827944	50	43	250 / Roll
827946	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
828004	150	50	Landscape	Warning; slippery surface	1 / Pack
828005	297	74	Landscape	Warning; slippery surface	1 / Pack
828007	450	150	Landscape	Warning; slippery surface	1 / Pack
828008	600	200	Landscape	Warning; slippery surface	1 / Pack
828001	148	210	Portrait	Warning; slippery surface	1 / Pack
828002	210	297	Portrait	Warning; slippery surface	1 / Pack
828006	297	105	Portrait	Warning; slippery surface	1 / Pack
828003	297	420	Portrait	Warning; slippery surface	1 / Pack
<b>Polypropylene</b>					
828012	150	50	Landscape	Warning; slippery surface	1 / Pack
828013	297	74	Landscape	Warning; slippery surface	1 / Pack
828015	450	150	Landscape	Warning; slippery surface	1 / Pack
828016	600	200	Landscape	Warning; slippery surface	1 / Pack
828009	148	210	Portrait	Warning; slippery surface	1 / Pack
828010	210	297	Portrait	Warning; slippery surface	1 / Pack
828014	297	105	Portrait	Warning; slippery surface	1 / Pack
828011	297	420	Portrait	Warning; slippery surface	1 / Pack
<b>Aluminium</b>					
828020	150	50	Landscape	Warning; slippery surface	1 / Pack
828022	450	150	Landscape	Warning; slippery surface	1 / Pack
828017	148	210	Portrait	Warning; slippery surface	1 / Pack
828018	210	297	Portrait	Warning; slippery surface	1 / Pack
828021	297	105	Portrait	Warning; slippery surface	1 / Pack
828019	297	420	Portrait	Warning; slippery surface	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836173	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836174	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836171	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836172	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836170	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.



## W012 : WARNING; ELECTRICITY

The most widely used pictogram in the warnings range, place round all electrical boxes, meters etc., to warn that electricity could be present.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828093	50	43	7 / Pack
828095	100	87	3 / Pack
828096	200	173	1 / Pack
828097	315	273	1 / Pack
<b>Polypropylene</b>			
828099	100	87	1 / Pack
828100	200	173	1 / Pack
828101	315	273	1 / Pack
<b>Aluminium</b>			
828102	100	87	1 / Pack
828103	200	173	1 / Pack
828104	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
828098	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139001	10	9	54 / Pack
138878	13	11	81 / Pack
139002	20	17	15 / Pack
828091	25	22	13 / Pack
<b>Vinyl</b>			
828089	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
828152	150	50	Landscape	Warning; Electricity	1 / Pack
828153	297	74	Landscape	Warning; Electricity	1 / Pack
828155	450	150	Landscape	Warning; Electricity	1 / Pack
828156	600	200	Landscape	Warning; Electricity	1 / Pack
828149	148	210	Portrait	Warning; Electricity	1 / Pack
828150	210	297	Portrait	Warning; Electricity	1 / Pack
828154	297	105	Portrait	Warning; Electricity	1 / Pack
828151	297	420	Portrait	Warning; Electricity	1 / Pack
<b>Polypropylene</b>					
828160	150	50	Landscape	Warning; Electricity	1 / Pack
828161	297	74	Landscape	Warning; Electricity	1 / Pack
828163	450	150	Landscape	Warning; Electricity	1 / Pack
828164	600	200	Landscape	Warning; Electricity	1 / Pack
828157	148	210	Portrait	Warning; Electricity	1 / Pack
828158	210	297	Portrait	Warning; Electricity	1 / Pack
828162	297	105	Portrait	Warning; Electricity	1 / Pack
828159	297	420	Portrait	Warning; Electricity	1 / Pack
<b>Aluminium</b>					
828168	150	50	Landscape	Warning; Electricity	1 / Pack
828170	450	150	Landscape	Warning; Electricity	1 / Pack
828165	148	210	Portrait	Warning; Electricity	1 / Pack
828166	210	297	Portrait	Warning; Electricity	1 / Pack
828169	297	105	Portrait	Warning; Electricity	1 / Pack
828167	297	420	Portrait	Warning; Electricity	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828090	25	22	250 / Roll
828092	50	43	250 / Roll
828094	100	87	250 / Roll




### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836776	150	130	Class B	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836770	150	130	Class B	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

**i** See also page 107 for W042 : Warning; Arc flash




## IDENTIFICATION OF VOLTAGE, PHASES, EARTH AND ISOLATION

Our comprehensive range of self-adhesive labels for uniformly marking voltage, phases, earth and isolation comply fully with the rules laid down by "The Electricity at Work Regulations 1989".

The markers are made from laminated cloth (B-500), which is resistant to heat, dust and oil.

The rubber-based adhesive guarantees maximum adhesive strength.



## VOLTAGE MARKERS


- Colour: Black on Yellow (other colours available upon request).
- 25 cards per package.

Layout	Width (mm)	Height (mm)	Label cards
Type 1	228	57	1/ Card
Type 2	114	28	4/ Card
Type 3	57	13	18/ Card
Type 4	28	13	36/ Card

Order Ref.	Legend	Layout
244772	3 x 220 VOLT	Type 1
244773	3 x 220 VOLT	Type 2
244774	3 x 220 VOLT	Type 3
244775	3 x 220 VOLT	Type 4
244929	3 x 230 V	Type 1
244930	3 x 230 V	Type 2
244931	3 x 230 V	Type 3
244932	3 x 230 V	Type 4
244831	3 x 380 V / 220 V 50 Hz	Type 1
244837	3 x 380 V / 220 V 50 Hz	Type 2
244838	3 x 380 V / 220 V 50 Hz	Type 3
244839	3 x 380 V / 220 V 50 Hz	Type 4
244840	3 x 380 V + N	Type 1
244841	3 x 380 V + N	Type 2
244842	3 x 380 V + N	Type 3
244843	3 x 380 V + N	Type 4
244776	3 x 380 VOLT	Type 1
244777	3 x 380 VOLT	Type 2
244778	3 x 380 VOLT	Type 3
244779	3 x 380 VOLT	Type 4
251977	3 x 400 / 230 V 50 HZ	Type 1
251978	3 x 400 / 230 V 50 HZ	Type 2
251979	3 x 400 / 230 V 50 HZ	Type 3
251980	3 x 400 / 230 V 50 HZ	Type 4
244933	3 x 400 V	Type 1
244934	3 x 400 V	Type 2
244935	3 x 400 V	Type 3
244936	3 x 400 V	Type 4
251973	3 x 400 V + N	Type 1
251974	3 x 400 V + N	Type 2
251975	3 x 400 V + N	Type 3
251976	3 x 400 V + N	Type 4
244700	24 VOLT	Type 1
244701	24 VOLT	Type 2
244702	24 VOLT	Type 3


Order Ref.	Legend	Layout
244703	24 VOLT	Type 4
244704	48 VOLT	Type 1
244705	48 VOLT	Type 2
244706	48 VOLT	Type 3
244707	48 VOLT	Type 4
244708	110 VOLT	Type 1
244709	110 VOLT	Type 2
244710	110 VOLT	Type 3
244711	110 VOLT	Type 4
244712	115 VOLT	Type 1
244713	115 VOLT	Type 2
244714	115 VOLT	Type 3
244715	115 VOLT	Type 4
244716	120 VOLT	Type 1
244717	120 VOLT	Type 2
244718	120 VOLT	Type 3
244719	120 VOLT	Type 4
244728	220 VOLT	Type 1
244729	220 VOLT	Type 2
244730	220 VOLT	Type 3
244731	220 VOLT	Type 4
244732	230 VOLT	Type 1
244733	230 VOLT	Type 2
244734	230 VOLT	Type 3
244735	230 VOLT	Type 4
244736	240 VOLT	Type 1
244737	240 VOLT	Type 2
244738	240 VOLT	Type 3
244739	240 VOLT	Type 4
244740	380 VOLT	Type 1
244741	380 VOLT	Type 2
244742	380 VOLT	Type 3
244743	380 VOLT	Type 4
251981	400 / 230 VOLT	Type 1
251982	400 / 230 VOLT	Type 2

Order Ref.	Legend	Layout
251983	400 / 230 VOLT	Type 3
251984	400 / 230 VOLT	Type 4
244849	400 VOLT	Type 1
244850	400 VOLT	Type 2
244851	400 VOLT	Type 3
244852	400 VOLT	Type 4
244832	500 VOLT	Type 1
244833	500 VOLT	Type 2
244834	500 VOLT	Type 3
244835	500 VOLT	Type 4
244752	6200 VOLT	Type 1
244753	6200 VOLT	Type 2
244754	6200 VOLT	Type 3
244755	6200 VOLT	Type 4
244756	10000 VOLT	Type 1
244757	10000 VOLT	Type 2
244758	10000 VOLT	Type 3
244759	10000 VOLT	Type 4
251969	11000 VOLT	Type 1
251970	11000 VOLT	Type 2
251971	11000 VOLT	Type 3
251972	11000 VOLT	Type 4
244760	12000 VOLT	Type 1
244761	12000 VOLT	Type 2
244762	12000 VOLT	Type 3
244763	12000 VOLT	Type 4
244800	VOLT	Type 1
244801	VOLT	Type 2
244802	VOLT	Type 3
244803	VOLT	Type 4



## MARKERS FOR VOLTAGE, PHASES, EARTH AND ISOLATION

Order Ref.	Legend	Colour	Width (mm)	Height (mm)	Total Qty/Pack
244824	Earth symbol	Black on Yellow	13	13	1350/ Pack
244827	Earth symbol	Black on White	13	13	1350/ Pack
244825	Earth symbol	Black on Yellow	19	19	825/ Pack
244828	Earth symbol	Black on White	19	19	825/ Pack
244826	Isolation symbol	Black on Yellow	13	13	1350/ Pack
244820	L1, L2, L3, N	Black on Yellow	13	13	1425/ Pack
244821	L1, L2, L3, N	Black on Yellow	19	19	825/ Pack
101386	L1, L2, L3, PE,+,-,"Earth"	Black on White	19	14	800/ Pack
244822	R S T N	Black on Yellow	13	13	1125/ Pack





## W013 : WARNING; GUARD DOG

Simply indicating the presence of a guard dog will warn potential intruders and help keep premises secure.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828241	50	43	7 / Pack
828243	100	87	3 / Pack
828244	200	173	1 / Pack
828245	315	273	1 / Pack
<b>Polypropylene</b>			
828247	100	87	1 / Pack
828248	200	173	1 / Pack
828249	315	273	1 / Pack
<b>Aluminium</b>			
828250	100	87	1 / Pack
828251	200	173	1 / Pack
828252	315	273	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828239	25	22	13 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
828300	150	50	Landscape	Warning; Guard dog	1 / Pack
828301	297	74	Landscape	Warning; Guard dog	1 / Pack
828303	450	150	Landscape	Warning; Guard dog	1 / Pack
828304	600	200	Landscape	Warning; Guard dog	1 / Pack
828297	148	210	Portrait	Warning; Guard dog	1 / Pack
828298	210	297	Portrait	Warning; Guard dog	1 / Pack
828302	297	105	Portrait	Warning; Guard dog	1 / Pack
828299	297	420	Portrait	Warning; Guard dog	1 / Pack
<b>Polypropylene</b>					
828308	150	50	Landscape	Warning; Guard dog	1 / Pack
828309	297	74	Landscape	Warning; Guard dog	1 / Pack
828311	450	150	Landscape	Warning; Guard dog	1 / Pack
828312	600	200	Landscape	Warning; Guard dog	1 / Pack
828305	148	210	Portrait	Warning; Guard dog	1 / Pack
828306	210	297	Portrait	Warning; Guard dog	1 / Pack
828310	297	105	Portrait	Warning; Guard dog	1 / Pack
828307	297	420	Portrait	Warning; Guard dog	1 / Pack
<b>Aluminium</b>					
828316	150	50	Landscape	Warning; Guard dog	1 / Pack
828318	450	150	Landscape	Warning; Guard dog	1 / Pack
828313	148	210	Portrait	Warning; Guard dog	1 / Pack
828314	210	297	Portrait	Warning; Guard dog	1 / Pack
828317	297	105	Portrait	Warning; Guard dog	1 / Pack
828315	297	420	Portrait	Warning; Guard dog	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828238	25	22	250 / Roll
828240	50	43	250 / Roll
828242	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836179	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836180	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836177	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836178	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836176	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W014 : WARNING; FORK LIFT TRUCKS AND OTHER INDUSTRIAL VEHICLES

Forklift trucks and other vehicles of this type are common across a wide range of sectors. Use these signs to warn employees and visitors that forklift trucks are operating in the area.



It is recommended to combine this sign with floor marking products and a sign to clearly indicate the pedestrian zone (see M024 page 178)



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828389	50	43	7 / Pack
828391	100	87	3 / Pack
828392	200	173	1 / Pack
828393	315	273	1 / Pack
<b>Polypropylene</b>			
828395	100	87	1 / Pack
828396	200	173	1 / Pack
828397	315	273	1 / Pack
<b>Aluminium</b>			
828398	100	87	1 / Pack
828399	200	173	1 / Pack
828400	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
828394	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139000	10	9	54 / Pack
828387	25	22	13 / Pack
<b>Vinyl</b>			
828385	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828386	25	22	250 / Roll
828388	50	43	250 / Roll
828390	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836184	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836185	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836182	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836183	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836181	150	130	Class C	1 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
828448	150	50	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828449	297	74	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828451	450	150	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828452	600	200	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828445	148	210	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828446	210	297	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828450	297	105	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828447	297	420	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
<b>Polypropylene</b>					
828456	150	50	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828457	297	74	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828459	450	150	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828460	600	200	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828453	148	210	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828454	210	297	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828458	297	105	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828455	297	420	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
<b>Aluminium</b>					
828464	150	50	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828466	450	150	Landscape	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828461	148	210	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828462	210	297	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828465	297	105	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack
828463	297	420	Portrait	Warning; Fork lift trucks and other industrial vehicles	1 / Pack



Forklift inspection system to help control pre-shift inspections, maintenance and identification of forklift trucks.



Brady offers a full range of other methods of marking which identify floor areas, stairs, railings and other areas considered as danger zones. Contact your Brady distributor to find out more about our full range of area marking products.







## W015 : WARNING; OVERHEAD LOAD

Danger can come from all directions, including from above. To avoid anyone standing underneath overhead loads, pointing them out is crucial.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828537	50	43	7 / Pack
828539	100	87	3 / Pack
828540	200	173	1 / Pack
828541	315	273	1 / Pack
<b>Polypropylene</b>			
828543	100	87	1 / Pack
828544	200	173	1 / Pack
828545	315	273	1 / Pack
<b>Aluminium</b>			
828546	100	87	1 / Pack
828547	200	173	1 / Pack
828548	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
828542	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
138999	10	9	54 / Pack
828535	25	22	13 / Pack
<b>Vinyl</b>			
828533	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
828596	150	50	Landscape	Warning; Overhead load	1 / Pack
828597	297	74	Landscape	Warning; Overhead load	1 / Pack
828599	450	150	Landscape	Warning; Overhead load	1 / Pack
828600	600	200	Landscape	Warning; Overhead load	1 / Pack
828593	148	210	Portrait	Warning; Overhead load	1 / Pack
828594	210	297	Portrait	Warning; Overhead load	1 / Pack
828598	297	105	Portrait	Warning; Overhead load	1 / Pack
828595	297	420	Portrait	Warning; Overhead load	1 / Pack
<b>Polypropylene</b>					
828604	150	50	Landscape	Warning; Overhead load	1 / Pack
828605	297	74	Landscape	Warning; Overhead load	1 / Pack
828607	450	150	Landscape	Warning; Overhead load	1 / Pack
828608	600	200	Landscape	Warning; Overhead load	1 / Pack
828601	148	210	Portrait	Warning; Overhead load	1 / Pack
828602	210	297	Portrait	Warning; Overhead load	1 / Pack
828606	297	105	Portrait	Warning; Overhead load	1 / Pack
828603	297	420	Portrait	Warning; Overhead load	1 / Pack
<b>Aluminium</b>					
828612	150	50	Landscape	Warning; Overhead load	1 / Pack
828614	450	150	Landscape	Warning; Overhead load	1 / Pack
828609	148	210	Portrait	Warning; Overhead load	1 / Pack
828610	210	297	Portrait	Warning; Overhead load	1 / Pack
828613	297	105	Portrait	Warning; Overhead load	1 / Pack
828611	297	420	Portrait	Warning; Overhead load	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828534	25	22	250 / Roll
828536	50	43	250 / Roll
828538	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836189	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836190	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836187	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836188	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836186	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W016 : WARNING; TOXIC MATERIAL

Toxic materials must be identified so appropriate methods can be taken to store the product safely.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828685	50	43	7 / Pack
828687	100	87	3 / Pack
828688	200	173	1 / Pack
828689	315	273	1 / Pack
<b>Polypropylene</b>			
828691	100	87	1 / Pack
828692	200	173	1 / Pack
828693	315	273	1 / Pack
<b>Aluminium</b>			
828694	100	87	1 / Pack
828695	200	173	1 / Pack
828696	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
828690	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
138996	10	9	54 / Pack
828683	25	22	13 / Pack
<b>Vinyl</b>			
828681	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
828744	150	50	Landscape	Warning; Toxic material	1 / Pack
828745	297	74	Landscape	Warning; Toxic material	1 / Pack
828747	450	150	Landscape	Warning; Toxic material	1 / Pack
828748	600	200	Landscape	Warning; Toxic material	1 / Pack
828741	148	210	Portrait	Warning; Toxic material	1 / Pack
828742	210	297	Portrait	Warning; Toxic material	1 / Pack
828746	297	105	Portrait	Warning; Toxic material	1 / Pack
828743	297	420	Portrait	Warning; Toxic material	1 / Pack
<b>Polypropylene</b>					
828752	150	50	Landscape	Warning; Toxic material	1 / Pack
828753	297	74	Landscape	Warning; Toxic material	1 / Pack
828755	450	150	Landscape	Warning; Toxic material	1 / Pack
828756	600	200	Landscape	Warning; Toxic material	1 / Pack
828749	148	210	Portrait	Warning; Toxic material	1 / Pack
828750	210	297	Portrait	Warning; Toxic material	1 / Pack
828754	297	105	Portrait	Warning; Toxic material	1 / Pack
828751	297	420	Portrait	Warning; Toxic material	1 / Pack
<b>Aluminium</b>					
828760	150	50	Landscape	Warning; Toxic material	1 / Pack
828762	450	150	Landscape	Warning; Toxic material	1 / Pack
828757	148	210	Portrait	Warning; Toxic material	1 / Pack
828758	210	297	Portrait	Warning; Toxic material	1 / Pack
828761	297	105	Portrait	Warning; Toxic material	1 / Pack
828759	297	420	Portrait	Warning; Toxic material	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828682	25	22	250 / Roll
828684	50	43	250 / Roll
828686	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836781	150	130	Class B	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836777	150	130	Class B	1 / Pack



Use CLP-symbol GHS06 for indicating the dangers of the contents in packages that need to be shipped (see page 221).



For all material properties and applications, see pages 4-5

**BRADY Customise-it**

See page 196 to order your custom-made signs.



## W017 : WARNING; HOT SURFACE

By identifying hot surfaces, burn injuries can be avoided and/or the need for wearing safety gloves can be made clear.



This safety message can be amplified with the use of pictogram M009 (see page 163).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828833	50	43	7 / Pack
828835	100	87	3 / Pack
828836	200	173	1 / Pack
828837	315	273	1 / Pack
<b>Polypropylene</b>			
828839	100	87	1 / Pack
828840	200	173	1 / Pack
828841	315	273	1 / Pack
<b>Aluminium</b>			
828842	100	87	1 / Pack
828843	200	173	1 / Pack
828844	315	273	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139013	10	9	54 / Pack
139014	20	17	18 / Pack
828831	25	22	13 / Pack
<b>Vinyl</b>			
828829	15	13	54 / Pack




### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
828830	25	22	250 / Roll
828832	50	43	250 / Roll
828834	100	87	250 / Roll

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

**i** Reversible and irreversible temperature indicating labels provide a record of the temperature of individual components. For more information see page 231.



### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
828892	150	50	Landscape	Warning; Hot surface	1 / Pack
828893	297	74	Landscape	Warning; Hot surface	1 / Pack
828895	450	150	Landscape	Warning; Hot surface	1 / Pack
828896	600	200	Landscape	Warning; Hot surface	1 / Pack
828889	148	210	Portrait	Warning; Hot surface	1 / Pack
828890	210	297	Portrait	Warning; Hot surface	1 / Pack
828894	297	105	Portrait	Warning; Hot surface	1 / Pack
828891	297	420	Portrait	Warning; Hot surface	1 / Pack
<b>Polypropylene</b>					
828900	150	50	Landscape	Warning; Hot surface	1 / Pack
828901	297	74	Landscape	Warning; Hot surface	1 / Pack
828903	450	150	Landscape	Warning; Hot surface	1 / Pack
828904	600	200	Landscape	Warning; Hot surface	1 / Pack
828897	148	210	Portrait	Warning; Hot surface	1 / Pack
828898	210	297	Portrait	Warning; Hot surface	1 / Pack
828902	297	105	Portrait	Warning; Hot surface	1 / Pack
828899	297	420	Portrait	Warning; Hot surface	1 / Pack
<b>Aluminium</b>					
828908	150	50	Landscape	Warning; Hot surface	1 / Pack
828910	450	150	Landscape	Warning; Hot surface	1 / Pack
828905	148	210	Portrait	Warning; Hot surface	1 / Pack
828906	210	297	Portrait	Warning; Hot surface	1 / Pack
828909	297	105	Portrait	Warning; Hot surface	1 / Pack
828907	297	420	Portrait	Warning; Hot surface	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836196	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836197	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836194	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836195	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836193	150	130	Class C	1 / Pack

## W018 : WARNING; AUTOMATIC START-UP

Warning employees and visitors that machinery can start up automatically without any warning.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
828981	50	43	7 / Pack
828983	100	87	3 / Pack
828984	200	173	1 / Pack
828985	315	273	1 / Pack
<b>Polypropylene</b>			
828987	100	87	1 / Pack
828988	200	173	1 / Pack
828989	315	273	1 / Pack
<b>Aluminium</b>			
828990	100	87	1 / Pack
828991	200	173	1 / Pack
828992	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
828986	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139010	10	9	54 / Pack
828979	25	22	13 / Pack
<b>Vinyl</b>			
828977	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
828978	25	22	250 / Roll
828980	50	43	250 / Roll
828982	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
829040	150	50	Landscape	Warning; Automatic start-up	1 / Pack
829041	297	74	Landscape	Warning; Automatic start-up	1 / Pack
829043	450	150	Landscape	Warning; Automatic start-up	1 / Pack
829044	600	200	Landscape	Warning; Automatic start-up	1 / Pack
829037	148	210	Portrait	Warning; Automatic start-up	1 / Pack
829038	210	297	Portrait	Warning; Automatic start-up	1 / Pack
829042	297	105	Portrait	Warning; Automatic start-up	1 / Pack
829039	297	420	Portrait	Warning; Automatic start-up	1 / Pack
<b>Polypropylene</b>					
829048	150	50	Landscape	Warning; Automatic start-up	1 / Pack
829049	297	74	Landscape	Warning; Automatic start-up	1 / Pack
829051	450	150	Landscape	Warning; Automatic start-up	1 / Pack
829052	600	200	Landscape	Warning; Automatic start-up	1 / Pack
829045	148	210	Portrait	Warning; Automatic start-up	1 / Pack
829046	210	297	Portrait	Warning; Automatic start-up	1 / Pack
829050	297	105	Portrait	Warning; Automatic start-up	1 / Pack
829047	297	420	Portrait	Warning; Automatic start-up	1 / Pack
<b>Aluminium</b>					
829056	150	50	Landscape	Warning; Automatic start-up	1 / Pack
829058	450	150	Landscape	Warning; Automatic start-up	1 / Pack
829053	148	210	Portrait	Warning; Automatic start-up	1 / Pack
829054	210	297	Portrait	Warning; Automatic start-up	1 / Pack
829057	297	105	Portrait	Warning; Automatic start-up	1 / Pack
829055	297	420	Portrait	Warning; Automatic start-up	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836201	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836202	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836199	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836200	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836198	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.



## W019 : WARNING; CRUSHING

If there is a danger of crushing, the person must avoid standing in this area.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829129	50	43	7 / Pack
829131	100	87	3 / Pack
829132	200	173	1 / Pack
829133	315	273	1 / Pack
<b>Polypropylene</b>			
829135	100	87	1 / Pack
829136	200	173	1 / Pack
829137	315	273	1 / Pack
<b>Aluminium</b>			
829138	100	87	1 / Pack
829139	200	173	1 / Pack
829140	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
829134	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139017	10	9	54 / Pack
829127	25	22	13 / Pack
<b>Vinyl</b>			
829125	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
829126	25	22	250 / Roll
829128	50	43	250 / Roll
829130	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
829188	150	50	Landscape	Warning; Crushing	1 / Pack
829189	297	74	Landscape	Warning; Crushing	1 / Pack
829191	450	150	Landscape	Warning; Crushing	1 / Pack
829192	600	200	Landscape	Warning; Crushing	1 / Pack
829185	148	210	Portrait	Warning; Crushing	1 / Pack
829186	210	297	Portrait	Warning; Crushing	1 / Pack
829190	297	105	Portrait	Warning; Crushing	1 / Pack
829187	297	420	Portrait	Warning; Crushing	1 / Pack
<b>Polypropylene</b>					
829196	150	50	Landscape	Warning; Crushing	1 / Pack
829197	297	74	Landscape	Warning; Crushing	1 / Pack
829199	450	150	Landscape	Warning; Crushing	1 / Pack
829200	600	200	Landscape	Warning; Crushing	1 / Pack
829193	148	210	Portrait	Warning; Crushing	1 / Pack
829194	210	297	Portrait	Warning; Crushing	1 / Pack
829198	297	105	Portrait	Warning; Crushing	1 / Pack
829195	297	420	Portrait	Warning; Crushing	1 / Pack
<b>Aluminium</b>					
829204	150	50	Landscape	Warning; Crushing	1 / Pack
829206	450	150	Landscape	Warning; Crushing	1 / Pack
829201	148	210	Portrait	Warning; Crushing	1 / Pack
829202	210	297	Portrait	Warning; Crushing	1 / Pack
829205	297	105	Portrait	Warning; Crushing	1 / Pack
829203	297	420	Portrait	Warning; Crushing	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836206	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836207	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836204	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836205	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836203	150	130	Class C	1 / Pack

## i LOCKOUT/TAGOUT SYSTEMS

Lockout/Tagout is a procedure created to protect workers involved in the maintenance and servicing of tools against the accidental starting of the various energy sources. This is obtained by mechanically isolating, identifying and locking these energy sources. Contact your Brady distributor to find out more about our full range of lockout/tagout systems.

**Lockout / Tagout**

Solutions for Hazardous Energy Control  
Create, visualise and manage your Isolation Programme

Complies with EN ISO 7010

## W020 : WARNING; OVERHEAD OBSTACLES

If there are overhead obstacles, pointing them out draws the attention of people who may be exposed to a risk of collision. In addition, positioning protective foam is advisable where possible.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829277	50	43	7 / Pack
829279	100	87	3 / Pack
829280	200	173	1 / Pack
829281	315	273	1 / Pack
<b>Polypropylene</b>			
829283	100	87	1 / Pack
829284	200	173	1 / Pack
829285	315	273	1 / Pack
<b>Aluminium</b>			
829286	100	87	1 / Pack
829287	200	173	1 / Pack
829288	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
829282	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829275	25	22	13 / Pack
<b>Vinyl</b>			
829273	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
829274	25	22	250 / Roll
829276	50	43	250 / Roll
829278	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
829336	150	50	Landscape	Warning; Overhead obstacles	1 / Pack
829337	297	74	Landscape	Warning; Overhead obstacles	1 / Pack
829339	450	150	Landscape	Warning; Overhead obstacles	1 / Pack
829340	600	200	Landscape	Warning; Overhead obstacles	1 / Pack
829333	148	210	Portrait	Warning; Overhead obstacles	1 / Pack
829334	210	297	Portrait	Warning; Overhead obstacles	1 / Pack
829338	297	105	Portrait	Warning; Overhead obstacles	1 / Pack
829335	297	420	Portrait	Warning; Overhead obstacles	1 / Pack
<b>Polypropylene</b>					
829344	150	50	Landscape	Warning; Overhead obstacles	1 / Pack
829345	297	74	Landscape	Warning; Overhead obstacles	1 / Pack
829347	450	150	Landscape	Warning; Overhead obstacles	1 / Pack
829348	600	200	Landscape	Warning; Overhead obstacles	1 / Pack
829341	148	210	Portrait	Warning; Overhead obstacles	1 / Pack
829342	210	297	Portrait	Warning; Overhead obstacles	1 / Pack
829346	297	105	Portrait	Warning; Overhead obstacles	1 / Pack
829343	297	420	Portrait	Warning; Overhead obstacles	1 / Pack
<b>Aluminium</b>					
829352	150	50	Landscape	Warning; Overhead obstacles	1 / Pack
829354	450	150	Landscape	Warning; Overhead obstacles	1 / Pack
829349	148	210	Portrait	Warning; Overhead obstacles	1 / Pack
829350	210	297	Portrait	Warning; Overhead obstacles	1 / Pack
829353	297	105	Portrait	Warning; Overhead obstacles	1 / Pack
829351	297	420	Portrait	Warning; Overhead obstacles	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836211	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836212	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836209	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836210	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836208	150	130	Class C	1 / Pack

## POLYURETHANE SAFETY BUMPERS

Clearly visible, made from polyurethane foam rubber, flexible and sturdy material, optimal shock-absorber. Article numbers can be found in the Brady Area Marking Catalogue.



Contact your Brady distributor to find out more about our full range of area marking products.

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.



## W021 : WARNING; RISK OF FIRE/FLAMMABLE MATERIALS

Certain precautions need to be taken for the use and storage of flammable materials.



For the transportation of these goods, the use of pictogram GHS02 and a label in line with the CLP regulations are mandatory (see page 221).



We recommend you combine this sign with pictogram P003 to remind people that open flames and smoking are prohibited in areas where these materials are used or stored (see page 113).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829425	50	43	7 / Pack
829427	100	87	3 / Pack
829428	200	173	1 / Pack
829429	315	273	1 / Pack
<b>Polypropylene</b>			
829431	100	87	1 / Pack
829432	200	173	1 / Pack
829433	315	273	1 / Pack
<b>Aluminium</b>			
829434	100	87	1 / Pack
829435	200	173	1 / Pack
829436	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
829430	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
138974	10	9	54 / Pack
829423	25	22	13 / Pack
<b>Vinyl</b>			
829421	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
829422	25	22	250 / Roll
829424	50	43	250 / Roll
829426	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836216	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836217	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836214	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836215	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836213	150	130	Class C	1 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
829484	150	50	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829485	297	74	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829487	450	150	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829488	600	200	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829481	148	210	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829482	210	297	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829486	297	105	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829483	297	420	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
<b>Polypropylene</b>					
829492	150	50	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829493	297	74	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829495	450	150	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829496	600	200	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829489	148	210	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829490	210	297	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829494	297	105	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829491	297	420	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
<b>Aluminium</b>					
829500	150	50	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829502	450	150	Landscape	Warning; Risk of fire / flammable materials	1 / Pack
829497	148	210	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829498	210	297	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829501	297	105	Portrait	Warning; Risk of fire / flammable materials	1 / Pack
829499	297	420	Portrait	Warning; Risk of fire / flammable materials	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W022 : WARNING; SHARP ELEMENTS

The danger of sharp elements is greatly reduced when they are clearly marked. Identify and warn employees and visitors to be aware of sharp elements and risks associated with it. We recommend that the necessary PPE is worn, for example gloves.

This message can be further clarified by the use of pictogram M009 (see page 163).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829573	50	43	7 / Pack
829575	100	87	3 / Pack
829576	200	173	1 / Pack
829577	315	273	1 / Pack
<b>Polypropylene</b>			
829579	100	87	1 / Pack
829580	200	173	1 / Pack
829581	315	273	1 / Pack
<b>Aluminium</b>			
829582	100	87	1 / Pack
829583	200	173	1 / Pack
829584	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
829578	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829571	25	22	13 / Pack
<b>Vinyl</b>			
829569	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
829570	25	22	250 / Roll
829572	50	43	250 / Roll
829574	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
829632	150	50	Landscape	Sharp elements	1 / Pack
829633	297	74	Landscape	Sharp elements	1 / Pack
829635	450	150	Landscape	Sharp elements	1 / Pack
829636	600	200	Landscape	Sharp elements	1 / Pack
829629	148	210	Portrait	Sharp elements	1 / Pack
829630	210	297	Portrait	Sharp elements	1 / Pack
829634	297	105	Portrait	Sharp elements	1 / Pack
829631	297	420	Portrait	Sharp elements	1 / Pack
<b>Polypropylene</b>					
829640	150	50	Landscape	Sharp elements	1 / Pack
829641	297	74	Landscape	Sharp elements	1 / Pack
829643	450	150	Landscape	Sharp elements	1 / Pack
829644	600	200	Landscape	Sharp elements	1 / Pack
829637	148	210	Portrait	Sharp elements	1 / Pack
829638	210	297	Portrait	Sharp elements	1 / Pack
829642	297	105	Portrait	Sharp elements	1 / Pack
829639	297	420	Portrait	Sharp elements	1 / Pack
<b>Aluminium</b>					
829648	150	50	Landscape	Sharp elements	1 / Pack
829650	450	150	Landscape	Sharp elements	1 / Pack
829645	148	210	Portrait	Sharp elements	1 / Pack
829646	210	297	Portrait	Sharp elements	1 / Pack
829649	297	105	Portrait	Sharp elements	1 / Pack
829647	297	420	Portrait	Sharp elements	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836221	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836222	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836219	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836220	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836218	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.





## W023 : WARNING; CORROSIVE SUBSTANCE

Corrosive substance are extremely dangerous and have specific handling and storage requirements.



During the transportation of such substances the GHS05 pictogram and a CLP-compliant label are absolutely necessary (see page 221).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829721	50	43	7 / Pack
829723	100	87	3 / Pack
829724	200	173	1 / Pack
829725	315	273	1 / Pack
<b>Polypropylene</b>			
829727	100	87	1 / Pack
829728	200	173	1 / Pack
829729	315	273	1 / Pack
<b>Aluminium</b>			
829730	100	87	1 / Pack
829731	200	173	1 / Pack
829732	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
829726	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
138997	10	9	54 / Pack
829719	25	22	13 / Pack
<b>Vinyl</b>			
829717	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
829780	150	50	Landscape	Warning; Corrosive substance	1 / Pack
829781	297	74	Landscape	Warning; Corrosive substance	1 / Pack
829783	450	150	Landscape	Warning; Corrosive substance	1 / Pack
829784	600	200	Landscape	Warning; Corrosive substance	1 / Pack
829777	148	210	Portrait	Warning; Corrosive substance	1 / Pack
829778	210	297	Portrait	Warning; Corrosive substance	1 / Pack
829782	297	105	Portrait	Warning; Corrosive substance	1 / Pack
829779	297	420	Portrait	Warning; Corrosive substance	1 / Pack
<b>Polypropylene</b>					
829788	150	50	Landscape	Warning; Corrosive substance	1 / Pack
829789	297	74	Landscape	Warning; Corrosive substance	1 / Pack
829791	450	150	Landscape	Warning; Corrosive substance	1 / Pack
829792	600	200	Landscape	Warning; Corrosive substance	1 / Pack
829785	148	210	Portrait	Warning; Corrosive substance	1 / Pack
829786	210	297	Portrait	Warning; Corrosive substance	1 / Pack
829790	297	105	Portrait	Warning; Corrosive substance	1 / Pack
829787	297	420	Portrait	Warning; Corrosive substance	1 / Pack
<b>Aluminium</b>					
829796	150	50	Landscape	Warning; Corrosive substance	1 / Pack
829798	450	150	Landscape	Warning; Corrosive substance	1 / Pack
829793	148	210	Portrait	Warning; Corrosive substance	1 / Pack
829794	210	297	Portrait	Warning; Corrosive substance	1 / Pack
829797	297	105	Portrait	Warning; Corrosive substance	1 / Pack
829795	297	420	Portrait	Warning; Corrosive substance	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
829718	25	22	250 / Roll
829720	50	43	250 / Roll
829722	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836226	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836227	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836224	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836225	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836223	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W024 : WARNING; CRUSHING OF HANDS

Warn employees to avoid injury to hands when operating the equipment.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
829869	50	43	7 / Pack
829871	100	87	3 / Pack
829872	200	173	1 / Pack
829873	315	273	1 / Pack
<b>Polypropylene</b>			
829875	100	87	1 / Pack
829876	200	173	1 / Pack
829877	315	273	1 / Pack
<b>Aluminium</b>			
829878	100	87	1 / Pack
829879	200	173	1 / Pack
829880	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
829874	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139015	10	9	54 / Pack
139016	20	17	15 / Pack
829867	25	22	13 / Pack
<b>Vinyl</b>			
829865	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
829866	25	22	250 / Roll
829868	50	43	250 / Roll
829870	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
829928	150	50	Landscape	Warning; Crushing of hands	1 / Pack
829929	297	74	Landscape	Warning; Crushing of hands	1 / Pack
829931	450	150	Landscape	Warning; Crushing of hands	1 / Pack
829932	600	200	Landscape	Warning; Crushing of hands	1 / Pack
829925	148	210	Portrait	Warning; Crushing of hands	1 / Pack
829926	210	297	Portrait	Warning; Crushing of hands	1 / Pack
829930	297	105	Portrait	Warning; Crushing of hands	1 / Pack
829927	297	420	Portrait	Warning; Crushing of hands	1 / Pack
<b>Polypropylene</b>					
829936	150	50	Landscape	Warning; Crushing of hands	1 / Pack
829937	297	74	Landscape	Warning; Crushing of hands	1 / Pack
829939	450	150	Landscape	Warning; Crushing of hands	1 / Pack
829940	600	200	Landscape	Warning; Crushing of hands	1 / Pack
829933	148	210	Portrait	Warning; Crushing of hands	1 / Pack
829934	210	297	Portrait	Warning; Crushing of hands	1 / Pack
829938	297	105	Portrait	Warning; Crushing of hands	1 / Pack
829935	297	420	Portrait	Warning; Crushing of hands	1 / Pack
<b>Aluminium</b>					
829944	150	50	Landscape	Warning; Crushing of hands	1 / Pack
829946	450	150	Landscape	Warning; Crushing of hands	1 / Pack
829941	148	210	Portrait	Warning; Crushing of hands	1 / Pack
829942	210	297	Portrait	Warning; Crushing of hands	1 / Pack
829945	297	105	Portrait	Warning; Crushing of hands	1 / Pack
829943	297	420	Portrait	Warning; Crushing of hands	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836231	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836232	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836229	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836230	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836228	150	130	Class C	1 / Pack

## i LOCKOUT/TAGOUT SYSTEMS

Lockout/Tagout is a procedure created to protect workers involved in the maintenance and servicing of tools against the accidental starting of the various energy sources. This is obtained by mechanically isolating, identifying and locking these energy sources. Contact your Brady distributor to find out more about our full range of lockout/tagout systems.

**Lockout / Tagout**

**Solutions for Hazardous Energy Control**  
Create, visualise and manage your Isolation Programme



## W025 : WARNING; COUNTER ROTATING ROLLERS

Counter-rotating rollers represent a danger (for the hand or more). Use this sign to warn of the dangers and to help prevent injury.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
830017	50	43	7 / Pack
830019	100	87	3 / Pack
830020	200	173	1 / Pack
830021	315	273	1 / Pack
<b>Polypropylene</b>			
830023	100	87	1 / Pack
830024	200	173	1 / Pack
830025	315	273	1 / Pack
<b>Aluminium</b>			
830026	100	87	1 / Pack
830027	200	173	1 / Pack
830028	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
830022	500	433	1 / Pack

### MINI-PICTOGRAMS


Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139018	10	9	54 / Pack
139019	20	17	18 / Pack
830015	25	22	13 / Pack
<b>Vinyl</b>			
830013	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
830014	25	22	250 / Roll
830016	50	43	250 / Roll
830018	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
830076	150	50	Landscape	Warning; counter rotating rollers	1 / Pack
830077	297	74	Landscape	Warning; counter rotating rollers	1 / Pack
830079	450	150	Landscape	Warning; counter rotating rollers	1 / Pack
830080	600	200	Landscape	Warning; counter rotating rollers	1 / Pack
830073	148	210	Portrait	Warning; counter rotating rollers	1 / Pack
830074	210	297	Portrait	Warning; counter rotating rollers	1 / Pack
830078	297	105	Portrait	Warning; counter rotating rollers	1 / Pack
830075	297	420	Portrait	Warning; counter rotating rollers	1 / Pack
<b>Polypropylene</b>					
830084	150	50	Landscape	Warning; counter rotating rollers	1 / Pack
830085	297	74	Landscape	Warning; counter rotating rollers	1 / Pack
830087	450	150	Landscape	Warning; counter rotating rollers	1 / Pack
830088	600	200	Landscape	Warning; counter rotating rollers	1 / Pack
830081	148	210	Portrait	Warning; counter rotating rollers	1 / Pack
830082	210	297	Portrait	Warning; counter rotating rollers	1 / Pack
830086	297	105	Portrait	Warning; counter rotating rollers	1 / Pack
830083	297	420	Portrait	Warning; counter rotating rollers	1 / Pack
<b>Aluminium</b>					
830092	150	50	Landscape	Warning; counter rotating rollers	1 / Pack
830094	450	150	Landscape	Warning; counter rotating rollers	1 / Pack
830089	148	210	Portrait	Warning; counter rotating rollers	1 / Pack
830090	210	297	Portrait	Warning; counter rotating rollers	1 / Pack
830093	297	105	Portrait	Warning; counter rotating rollers	1 / Pack
830091	297	420	Portrait	Warning; counter rotating rollers	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836236	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836237	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836234	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836235	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836233	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W026 : WARNING; BATTERY CHARGING

Indicating that a battery is charging avoids it being disconnected by error and warns employees and visitors the dangers of battery charging areas.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
830165	50	43	7 / Pack
830167	100	87	3 / Pack
830168	200	173	1 / Pack
830169	315	273	1 / Pack
<b>Polypropylene</b>			
830171	100	87	1 / Pack
830172	200	173	1 / Pack
830173	315	273	1 / Pack
<b>Aluminium</b>			
830174	100	87	1 / Pack
830175	200	173	1 / Pack
830176	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
830170	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139023	10	9	54 / Pack
830163	25	22	13 / Pack
<b>Vinyl</b>			
830161	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
830162	25	22	250 / Roll
830164	50	43	250 / Roll
830166	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
830224	150	50	Landscape	Warning; Battery charging	1 / Pack
830225	297	74	Landscape	Warning; Battery charging	1 / Pack
830227	450	150	Landscape	Warning; Battery charging	1 / Pack
830228	600	200	Landscape	Warning; Battery charging	1 / Pack
830221	148	210	Portrait	Warning; Battery charging	1 / Pack
830222	210	297	Portrait	Warning; Battery charging	1 / Pack
830226	297	105	Portrait	Warning; Battery charging	1 / Pack
830223	297	420	Portrait	Warning; Battery charging	1 / Pack
<b>Polypropylene</b>					
830232	150	50	Landscape	Warning; Battery charging	1 / Pack
830233	297	74	Landscape	Warning; Battery charging	1 / Pack
830235	450	150	Landscape	Warning; Battery charging	1 / Pack
830236	600	200	Landscape	Warning; Battery charging	1 / Pack
830229	148	210	Portrait	Warning; Battery charging	1 / Pack
830230	210	297	Portrait	Warning; Battery charging	1 / Pack
830234	297	105	Portrait	Warning; Battery charging	1 / Pack
830231	297	420	Portrait	Warning; Battery charging	1 / Pack
<b>Aluminium</b>					
830240	150	50	Landscape	Warning; Battery charging	1 / Pack
830242	450	150	Landscape	Warning; Battery charging	1 / Pack
830237	148	210	Portrait	Warning; Battery charging	1 / Pack
830238	210	297	Portrait	Warning; Battery charging	1 / Pack
830241	297	105	Portrait	Warning; Battery charging	1 / Pack
830239	297	420	Portrait	Warning; Battery charging	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836241	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836242	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836239	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836240	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836238	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.



## W027 : WARNING; OPTICAL RADIATION

Exposure to optical radiation can cause injury to eyes and therefore limited.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
830313	50	43	7 / Pack
830315	100	87	3 / Pack
830316	200	173	1 / Pack
830317	315	273	1 / Pack
<b>Polypropylene</b>			
830319	100	87	1 / Pack
830320	200	173	1 / Pack
830321	315	273	1 / Pack
<b>Aluminium</b>			
830322	100	87	1 / Pack
830323	200	173	1 / Pack
830324	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
830318	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
830311	25	22	13 / Pack
<b>Vinyl</b>			
830309	15	13	54 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
830372	150	50	Landscape	Warning; Optical radiation	1 / Pack
830373	297	74	Landscape	Warning; Optical radiation	1 / Pack
830375	450	150	Landscape	Warning; Optical radiation	1 / Pack
830376	600	200	Landscape	Warning; Optical radiation	1 / Pack
830369	148	210	Portrait	Warning; Optical radiation	1 / Pack
830370	210	297	Portrait	Warning; Optical radiation	1 / Pack
830374	297	105	Portrait	Warning; Optical radiation	1 / Pack
830371	297	420	Portrait	Warning; Optical radiation	1 / Pack
<b>Polypropylene</b>					
830380	150	50	Landscape	Warning; Optical radiation	1 / Pack
830381	297	74	Landscape	Warning; Optical radiation	1 / Pack
830383	450	150	Landscape	Warning; Optical radiation	1 / Pack
830384	600	200	Landscape	Warning; Optical radiation	1 / Pack
830377	148	210	Portrait	Warning; Optical radiation	1 / Pack
830378	210	297	Portrait	Warning; Optical radiation	1 / Pack
830382	297	105	Portrait	Warning; Optical radiation	1 / Pack
830379	297	420	Portrait	Warning; Optical radiation	1 / Pack
<b>Aluminium</b>					
830388	150	50	Landscape	Warning; Optical radiation	1 / Pack
830390	450	150	Landscape	Warning; Optical radiation	1 / Pack
830385	148	210	Portrait	Warning; Optical radiation	1 / Pack
830386	210	297	Portrait	Warning; Optical radiation	1 / Pack
830389	297	105	Portrait	Warning; Optical radiation	1 / Pack
830387	297	420	Portrait	Warning; Optical radiation	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
830310	25	22	250 / Roll
830312	50	43	250 / Roll
830314	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836246	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836247	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836244	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836245	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836243	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W028 : WARNING; OXIDIZING SUBSTANCE

An oxidizing substance can ignite a flammable substance. Such substances should therefore be handled and stored accordingly.



During the transportation of such substances the GHS03 pictogramme and a CLP-compliant label are absolutely necessary (see page 221).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
830461	50	43	7 / Pack
830463	100	87	3 / Pack
830464	200	173	1 / Pack
830465	315	273	1 / Pack
<b>Polypropylene</b>			
830467	100	87	1 / Pack
830468	200	173	1 / Pack
830469	315	273	1 / Pack
<b>Aluminium</b>			
830470	100	87	1 / Pack
830471	200	173	1 / Pack
830472	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
830466	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139006	10	9	54 / Pack
830459	25	22	13 / Pack
<b>Vinyl</b>			
830457	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
830458	25	22	250 / Roll
830460	50	43	250 / Roll
830462	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
830520	150	50	Landscape	Warning; Oxidizing substance	1 / Pack
830521	297	74	Landscape	Warning; Oxidizing substance	1 / Pack
830523	450	150	Landscape	Warning; Oxidizing substance	1 / Pack
830524	600	200	Landscape	Warning; Oxidizing substance	1 / Pack
830517	148	210	Portrait	Warning; Oxidizing substance	1 / Pack
830518	210	297	Portrait	Warning; Oxidizing substance	1 / Pack
830522	297	105	Portrait	Warning; Oxidizing substance	1 / Pack
830519	297	420	Portrait	Warning; Oxidizing substance	1 / Pack
<b>Polypropylene</b>					
830528	150	50	Landscape	Warning; Oxidizing substance	1 / Pack
830529	297	74	Landscape	Warning; Oxidizing substance	1 / Pack
830531	450	150	Landscape	Warning; Oxidizing substance	1 / Pack
830532	600	200	Landscape	Warning; Oxidizing substance	1 / Pack
830525	148	210	Portrait	Warning; Oxidizing substance	1 / Pack
830526	210	297	Portrait	Warning; Oxidizing substance	1 / Pack
830530	297	105	Portrait	Warning; Oxidizing substance	1 / Pack
830527	297	420	Portrait	Warning; Oxidizing substance	1 / Pack
<b>Aluminium</b>					
830536	150	50	Landscape	Warning; Oxidizing substance	1 / Pack
830538	450	150	Landscape	Warning; Oxidizing substance	1 / Pack
830533	148	210	Portrait	Warning; Oxidizing substance	1 / Pack
830534	210	297	Portrait	Warning; Oxidizing substance	1 / Pack
830537	297	105	Portrait	Warning; Oxidizing substance	1 / Pack
830535	297	420	Portrait	Warning; Oxidizing substance	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836252	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836253	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836250	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836251	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836249	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.



## W029 : WARNING; PRESSURISED CYLINDER

Pressurised gas cylinders need to be handled and stored with the necessary care.



For the transportation of gas cylinders, pictogram GHS04 and a label in line with CLP regulations are mandatory (see page 221).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
830609	50	43	7 / Pack
830611	100	87	3 / Pack
830612	200	173	1 / Pack
830613	315	273	1 / Pack
<b>Polypropylene</b>			
830615	100	87	1 / Pack
830616	200	173	1 / Pack
830617	315	273	1 / Pack
<b>Aluminium</b>			
830618	100	87	1 / Pack
830619	200	173	1 / Pack
830620	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
830614	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
139012	10	9	54 / Pack
830607	25	22	13 / Pack
<b>Vinyl</b>			
830605	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
830606	25	22	250 / Roll
830608	50	43	250 / Roll
830610	100	87	250 / Roll

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
830668	150	50	Landscape	Pressurized cylinder	1 / Pack
830669	297	74	Landscape	Pressurized cylinder	1 / Pack
830671	450	150	Landscape	Pressurized cylinder	1 / Pack
830672	600	200	Landscape	Pressurized cylinder	1 / Pack
830665	148	210	Portrait	Pressurized cylinder	1 / Pack
830666	210	297	Portrait	Pressurized cylinder	1 / Pack
830670	297	105	Portrait	Pressurized cylinder	1 / Pack
830667	297	420	Portrait	Pressurized cylinder	1 / Pack
<b>Polypropylene</b>					
830676	150	50	Landscape	Pressurized cylinder	1 / Pack
830677	297	74	Landscape	Pressurized cylinder	1 / Pack
830679	450	150	Landscape	Pressurized cylinder	1 / Pack
830680	600	200	Landscape	Pressurized cylinder	1 / Pack
830673	148	210	Portrait	Pressurized cylinder	1 / Pack
830674	210	297	Portrait	Pressurized cylinder	1 / Pack
830678	297	105	Portrait	Pressurized cylinder	1 / Pack
830675	297	420	Portrait	Pressurized cylinder	1 / Pack
<b>Aluminium</b>					
830684	150	50	Landscape	Pressurized cylinder	1 / Pack
830686	450	150	Landscape	Pressurized cylinder	1 / Pack
830681	148	210	Portrait	Pressurized cylinder	1 / Pack
830682	210	297	Portrait	Pressurized cylinder	1 / Pack
830685	297	105	Portrait	Pressurized cylinder	1 / Pack
830683	297	420	Portrait	Pressurized cylinder	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836257	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836258	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836255	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836256	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836254	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W030 : WARNING; HAND CRUSHING BETWEEN PRESS BRAKE TOOL

Warn employees to avoid injury to hands when operating the equipment.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831104	50	43	7 / Pack
831106	100	87	3 / Pack
831107	200	173	1 / Pack
831108	315	273	1 / Pack
<b>Polypropylene</b>			
831110	100	87	1 / Pack
831111	200	173	1 / Pack
831112	315	273	1 / Pack
<b>Aluminium</b>			
831113	100	87	1 / Pack
831114	200	173	1 / Pack
831115	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Anti-skid Laminated Polyester</b>			
831109	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831102	25	22	13 / Pack
<b>Vinyl</b>			
831100	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831101	25	22	250 / Roll
831103	50	43	250 / Roll
831105	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/Pack
<b>Class B Photoluminescent Polyester</b>				
836262	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836263	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836260	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836261	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836259	150	130	Class C	1 / Pack

Complies with EN ISO 7010

## W031 : WARNING; HAND CRUSHING BETWEEN PRESS BRAKE TOOL

Warn employees to avoid injury to hands when operating the equipment.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831120	50	43	7 / Pack
831122	100	87	3 / Pack
831123	200	173	1 / Pack
831124	315	273	1 / Pack
<b>Polypropylene</b>			
831126	100	87	1 / Pack
831127	200	173	1 / Pack
831128	315	273	1 / Pack
<b>Aluminium</b>			
831129	100	87	1 / Pack
831130	200	173	1 / Pack
831131	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Anti-skid Laminated Polyester</b>			
831125	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831118	25	22	13 / Pack
<b>Vinyl</b>			
831116	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831117	25	22	250 / Roll
831119	50	43	250 / Roll
831121	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/Pack
<b>Class B Photoluminescent Polyester</b>				
836267	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836268	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836265	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836266	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836264	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.





## W032 : WARNING; RAPID MOVEMENT OF WORKPIECE IN PRESS BRAKE

Warn operators about the possible movement of a workpiece when operating a press brake.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831386	50	43	7 / Pack
831388	100	87	3 / Pack
831389	200	173	1 / Pack
831390	315	273	1 / Pack
<b>Polypropylene</b>			
831392	100	87	1 / Pack
831393	200	173	1 / Pack
831394	315	273	1 / Pack
<b>Aluminium</b>			
831395	100	87	1 / Pack
831396	200	173	1 / Pack
831397	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Anti-skid Laminated Polyester</b>			
831391	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831384	25	22	13 / Pack
<b>Vinyl</b>			
831382	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831383	25	22	250 / Roll
831385	50	43	250 / Roll
831387	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/Pack
<b>Class B Photoluminescent Polyester</b>				
836272	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836273	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836270	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836271	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836269	150	130	Class C	1 / Pack



## W033 : WARNING; BARBED WIRE

Warn that the area is protected by barbed wire.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831136	50	43	7 / Pack
831138	100	87	3 / Pack
831139	200	173	1 / Pack
831140	315	273	1 / Pack
<b>Polypropylene</b>			
831142	100	87	1 / Pack
831143	200	173	1 / Pack
831144	315	273	1 / Pack
<b>Aluminium</b>			
831145	100	87	1 / Pack
831146	200	173	1 / Pack
831147	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831134	25	22	13 / Pack
<b>Vinyl</b>			
831132	15	13	54 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831133	25	22	250 / Roll
831135	50	43	250 / Roll
831137	100	87	250 / Roll



### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/Pack
<b>Class B Photoluminescent Polyester</b>				
836277	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836278	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836275	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836276	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836274	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W034 : WARNING; BULL

Where bulls are present, whether roaming free or not, it is preferable to indicate their presence so that passers-by adopt appropriate behaviour or take the necessary precautions.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831152	50	43	7 / Pack
831154	100	87	3 / Pack
831155	200	173	1 / Pack
831156	315	273	1 / Pack
<b>Polypropylene</b>			
831158	100	87	1 / Pack
831159	200	173	1 / Pack
831160	315	273	1 / Pack
<b>Aluminium</b>			
831161	100	87	1 / Pack
831162	200	173	1 / Pack
831163	315	273	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831150	25	22	13 / Pack
<b>Vinyl</b>			
831148	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831149	25	22	250 / Roll
831151	50	43	250 / Roll
831153	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/Pack
<b>Class B Photoluminescent Polyester</b>				
836282	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836283	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836280	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836281	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836279	150	130	Class C	1 / Pack

Complies with EN ISO 7010

## W035 : WARNING; FALLING OBJECTS

In some area the permanent risk of falling objects needs to be indicated. When this sign needs to be used, it is recommended to combine it with a sign that shows wearing head protection is mandatory (see M014 on page 168).



### PANNEAUX PLATS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831168	50	43	7 / Pack
831170	100	87	3 / Pack
831171	200	173	1 / Pack
831172	315	273	1 / Pack
<b>Polypropylene</b>			
831174	100	87	1 / Pack
831175	200	173	1 / Pack
831176	315	273	1 / Pack
<b>Aluminium</b>			
831177	100	87	1 / Pack
831178	200	173	1 / Pack
831179	315	273	1 / Pack

### MARQUAGE AU SOL

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Anti-skid Laminated Polyester</b>			
831173	500	433	1 / Pack

### MINI-PICTOGRAMMES

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831166	25	22	13 / Pack
<b>Vinyl</b>			
831164	15	13	54 / Pack



### PICTOGRAMMES SUR ROULEAUX

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831165	25	22	250 / Roll
831167	50	43	250 / Roll
831169	100	87	250 / Roll



### PANNEAUX PLATS PHOTOLUMINESCENTS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/Pack
<b>Class B Photoluminescent Polyester</b>				
836287	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836288	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836285	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836286	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836284	150	130	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.



## W036 : WARNING; FRAGILE ROOF

A fragile roof can prove to be dangerous. By installing a danger fragile roof sign, the risk factor could be easily evaded.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
831402	50	43	7 / Pack
831404	100	87	3 / Pack
831405	200	173	1 / Pack
831406	315	273	1 / Pack
<b>Polypropylene</b>			
831408	100	87	1 / Pack
831409	200	173	1 / Pack
831410	315	273	1 / Pack
<b>Aluminium</b>			
831411	100	87	1 / Pack
831412	200	173	1 / Pack
831413	315	273	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
831400	25	22	13 / Pack
<b>Vinyl</b>			
831398	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831399	25	22	250 / Roll
831401	50	43	250 / Roll
831403	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836292	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836293	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836290	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836291	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836289	150	130	Class C	1 / Pack



## W037 : WARNING; RUN OVER BY REMOTE OPERATOR CONTROLLED MACHINE

In an automated environment, it is better to indicate that a machine is controlled remotely so that employees or visitors are aware.



### PANNEAUX PLATS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
135829	100	87	1 / Pack
135830	150	130	1 / Pack
135831	200	173	1 / Pack
<b>Polypropylene</b>			
135823	100	87	1 / Pack
135824	150	130	1 / Pack
135825	200	173	1 / Pack
<b>Aluminium</b>			
135826	100	87	1 / Pack
135827	150	130	1 / Pack
135828	200	173	1 / Pack



### PANNEAUX PLATS PHOTOLUMINESCENTS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
135838	100	87	Class B	1 / Pack
135839	150	130	Class B	1 / Pack
135840	200	173	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
135847	100	87	Class C	1 / Pack
135848	150	130	Class C	1 / Pack
135849	200	173	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
135832	100	87	Class B	1 / Pack
135833	150	130	Class B	1 / Pack
135834	200	173	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
135841	100	87	Class C	1 / Pack
135842	150	130	Class C	1 / Pack
135843	200	173	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
135844	100	87	Class C	1 / Pack
135845	150	130	Class C	1 / Pack
135846	200	173	Class C	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W038 : WARNING; SUDDEN LOUD NOISE

In some production areas sudden loud noises are common. It is important



to indicate the areas in which this is the case. This sign ideally should be combined with a sign that shows wearing ear protection is mandatory (see M003 on page 157).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
831370	50	43	7 / Pack
831372	100	87	3 / Pack
831373	200	173	1 / Pack
831374	315	273	1 / Pack
<b>Polypropylene</b>			
831376	100	87	1 / Pack
831377	200	173	1 / Pack
831378	315	273	1 / Pack
<b>Aluminium</b>			
831379	100	87	1 / Pack
831380	200	173	1 / Pack
831381	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
831375	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
831368	25	22	13 / Pack
<b>Vinyl</b>			
831366	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
831367	25	22	250 / Roll
831369	50	43	250 / Roll
831371	100	87	250 / Roll



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Class	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>				
836297	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polyester</b>				
836298	150	130	Class C	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>				
836295	150	130	Class B	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>				
836296	150	130	Class C	1 / Pack
<b>Class C Photoluminescent Aluminium</b>				
836294	150	130	Class C	1 / Pack

Complies with EN ISO 7010

## W039 : WARNING; FALLING ICE

Weather and the environment may cause falling ice. Indicating this risk can help people be aware of the danger and stand under these areas, such as not standing under these spaces.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
195734	100	87	3 / Pack
195736	200	173	1 / Pack
<b>Polypropylene</b>			
195735	100	87	1 / Pack
195737	200	173	1 / Pack
<b>Aluminium</b>			
195738	100	87	1 / Pack
195739	200	173	1 / Pack



### SIGNS WITH TEXT

Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
195743	450	150	Landscape	Falling ice	1 / Pack
195742	148	210	Portrait	Falling ice	1 / Pack
195741	210	297	Portrait	Falling ice	1 / Pack
<b>Polypropylene</b>					
195746	450	150	Landscape	Falling ice	1 / Pack
195745	148	210	Portrait	Falling ice	1 / Pack
195744	210	297	Portrait	Falling ice	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010



## W040 : WARNING; ROOF AVALANCE

During the cold season, snow on roofs. Due to an increase in temperature or other external factors, this accumulated snow may come down suddenly and cause a roof avalanche. Indicating this warns people not to stand in danger areas.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
195753	100	87	3 / Pack
195755	200	173	1 / Pack
<b>Polypropylene</b>			
195754	100	87	1 / Pack
195756	200	173	1 / Pack
<b>Aluminium</b>			
195757	100	87	1 / Pack
195758	200	173	1 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
195762	450	150	Land- scape	Roof avalanche	1 / Pack
195761	148	210	Portrait	Roof avalanche	1 / Pack
195760	210	297	Portrait	Roof avalanche	1 / Pack
<b>Polypropylene</b>					
195765	450	150	Land- scape	Roof avalanche	1 / Pack
195764	148	210	Portrait	Roof avalanche	1 / Pack
195763	210	297	Portrait	Roof avalanche	1 / Pack

Complies with EN ISO 7010



## W041 : WARNING; ASPHYXIATING ATMOSPHERE

In confined spaces, the absence of oxygen or the presence of other gases, often colourless and odourless, can be a source of danger and accidents. It is therefore essential to point these areas out as well as any associated bans and the personal protective equipment to be worn.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
196000	100	87	1 / Pack
196001	200	173	1 / Pack
<b>Polypropylene</b>			
195996	100	87	1 / Pack
195997	200	173	1 / Pack
<b>Aluminium</b>			
195998	100	87	1 / Pack
195999	200	173	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>			
196005	100	87	1 / Pack
196006	150	130	1 / Pack
196007	200	173	1 / Pack
<b>Class C Photoluminescent Polyester</b>			
196014	100	87	1 / Pack
196015	150	130	1 / Pack
196016	200	173	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>			
196002	100	87	1 / Pack
196003	150	130	1 / Pack
196004	200	173	1 / Pack
<b>Class C Photoluminescent Polypropylene</b>			
196008	100	87	1 / Pack
196009	150	130	1 / Pack
196010	200	173	1 / Pack
<b>Class C Photoluminescent Aluminium</b>			
196011	100	87	1 / Pack
196012	150	130	1 / Pack
196013	200	173	1 / Pack

**i** For all material properties and applications, see pages 4-5

**BRADY Customise-it** See page 196 to order your custom-made signs.

Complies with EN ISO 7010

## W042 : WARNING; ARC FLASH

Ensure that people are aware of the arc flash hazard of an electrical installation and take proper safety precautions.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
198395	10	9	1 / Pack
198363	50	43	7 / Pack
198364	100	87	3 / Pack
198365	200	173	1 / Pack
198366	315	273	1 / Pack
<b>Polypropylene</b>			
198367	100	87	1 / Pack
198368	200	173	1 / Pack
198369	315	273	1 / Pack
<b>Aluminium</b>			
198370	100	87	1 / Pack
198371	200	173	1 / Pack
198372	315	273	1 / Pack

### FLOOR MARKING

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Anti-skid Laminated Polyester</b>			
198404	500	433	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
198397	13	11	81 / Pack
198398	20	17	18 / Pack
198399	25	22	7 / Pack
<b>Vinyl</b>			
198396	15	13	54 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
198400	25	22	250 / Pack
198402	50	43	250 / Pack
198403	100	87	250 / Pack

### SIGNS WITH TEXT



Order Ref.	Width (mm)	Height (mm)	Layout	Legend	Total Qty/ Pack
<b>Laminated Polyester</b>					
198373	150	50	Landscape	Warning Arc flash	1 / Pack
198374	297	105	Landscape	Warning Arc flash	1 / Pack
198375	450	150	Landscape	Warning Arc flash	1 / Pack
198376	600	200	Landscape	Warning Arc flash	1 / Pack
198377	148	210	Portrait	Warning Arc flash	1 / Pack
198378	210	297	Portrait	Warning Arc flash	1 / Pack
198379	297	420	Portrait	Warning Arc flash	1 / Pack
<b>Polypropylene</b>					
198380	150	50	Landscape	Warning Arc flash	1 / Pack
198381	297	105	Landscape	Warning Arc flash	1 / Pack
198382	450	150	Landscape	Warning Arc flash	1 / Pack
198383	600	200	Landscape	Warning Arc flash	1 / Pack
198384	148	210	Portrait	Warning Arc flash	1 / Pack
198385	210	297	Portrait	Warning Arc flash	1 / Pack
198386	297	420	Portrait	Warning Arc flash	1 / Pack
<b>Aluminium</b>					
198387	150	50	Landscape	Warning Arc flash	1 / Pack
198388	297	105	Landscape	Warning Arc flash	1 / Pack
198389	450	150	Landscape	Warning Arc flash	1 / Pack
198390	148	210	Portrait	Warning Arc flash	1 / Pack
198391	210	297	Portrait	Warning Arc flash	1 / Pack
198392	297	420	Portrait	Warning Arc flash	1 / Pack



### PHOTOLUMINESCENT SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Class B Photoluminescent Polyester</b>			
198393	150	130	1 / Pack
<b>Class B Photoluminescent Polypropylene</b>			
198394	150	130	1 / Pack



See also page 82 for W012 : Warning; Electricity



For all material properties and applications, see pages 4-5



See page 196 to order your custom-made signs.



## PIC 2516 (PIC 313) : WARNING; EXPLOSIVE ATMOSPHERE

These signs warn employees and visitors of potential explosive hazards in and around the facility.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
810881	50	43	7 / Pack
810882	100	87	3 / Pack
810885	200	173	1 / Pack
810888	315	273	1 / Pack
<b>Polypropylene</b>			
810883	100	87	1 / Pack
810886	200	173	1 / Pack
810889	315	273	1 / Pack
<b>Aluminium</b>			
810884	100	87	1 / Pack
810887	200	173	1 / Pack
810890	315	273	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
227334	25	22	250 / Roll
227362	50	43	250 / Roll
227309	100	87	250 / Roll



## PIC 321 : WARNING; TOXIC IRRITANT HEALTH HAZARD

This sign indicates a toxic substance or irritant. It is recommended to use signs in accordance with NF EN ISO 7010 where possible. For labelling the packaging containing these substances, CLP-labels should be used (see



GHS06 and GHS07 on page 221).



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
250263	50	43	7 / Pack
250264	100	87	3 / Pack
250265	200	173	1 / Pack
223446	315	273	1 / Pack
<b>Polypropylene</b>			
223447	100	87	1 / Pack
252242	200	173	1 / Pack
252243	315	273	1 / Pack
<b>Aluminium</b>			
241648	100	87	1 / Pack
255240	200	173	1 / Pack
255241	315	273	1 / Pack
<b>Vinyl</b>			
802045	50	43	10 / Pack



### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Vinyl</b>			
802043	10	9	54 / Pack
802044	20	17	15 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
227339	25	22	250 / Roll
227367	50	43	250 / Roll
227314	100	87	250 / Roll

## PIC 327 : WARNING; ELECTROSTATIC

Production of static electricity may be undesirable or even restrictive in the context of industrial production as it could lead to incorrect operation, long-term damage to equipment or, in high-risk cases, an explosion. Its presence must therefore be clearly indicated.



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
250633	50	43	7 / Pack
250634	100	87	3 / Pack
223405	200	173	1 / Pack
223406	315	273	1 / Pack

### MINI-PICTOGRAMS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
250630	8	7	117 / Pack
250632	25	22	13 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
251954	25	22	250 / Roll
223313	50	43	250 / Roll
223314	100	87	250 / Roll

## PIC 329 : WARNING; EARTH



### SIGNS

Order Ref.	Width (mm)	Height (mm)	Total Qty/ Pack
<b>Laminated Polyester</b>			
250287	50	43	7 / Pack
250288	100	87	3 / Pack
250289	200	173	1 / Pack
223436	315	273	1 / Pack
<b>Polypropylene</b>			
252258	200	173	1 / Pack
252259	315	273	1 / Pack
<b>Aluminium</b>			
241635	100	87	1 / Pack
241636	200	173	1 / Pack
241637	315	273	1 / Pack



### PICTOGRAMS ON ROLLS

Order Ref.	Width (mm)	Height (mm)	Total Qty/Pack
<b>Laminated Polyester</b>			
251953	25	22	250 / Roll
223311	50	43	250 / Roll
223312	100	87	250 / Roll